

ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	RED	Ignition harness
STARTER WIRE	YELLOW	Ignition harness
12V IGNITION WIRE	PINK	Ignition harness
12V ACCESSORY WIRE	ORANGE	Ignition harness
POWER DOOR LOCK (+)	LT. BLUE	Harness In Driver's Kick Panel From Driver's Door
POWER DOOR UNLOCK (+)	WHITE	Harness In Driver's Kick Panel From Driver's Door
PARKING LIGHTS (+)	BROWN	Light Switch Or Harness In Driver's Kick Panel Running Toward Vehicle's Rear
DOOR TRIGGER WIRE (-)	WHITE	Courtesy Light Under Dash
TRUNK TRIGGER WIRE (-)	DARK GREEN	Harness In Driver's Kick Panel Running Toward Vehicle's Rear
TRUNK RELEASE WIRE (+)	BLACK/WHITE	At Trunk release switch
TACHOMETER WIRE	RED/BLACK	4-wire plug underneath air intake
BRAKE WIRE (+)	WHITE	Plug At Brake pedal switch
HORN TRIGGER (-)	BLACK	Harness At Steering column
LEFT FRONT WINDOW UP	DARK BLUE	At Motor Inside Driver's Door
LEFT FRONT WINDOW DOWN	BROWN	At Motor Inside Driver's Door
RIGHT FRONT WINDOW UP	LIGHT BLUE	Harness In Driver's Kick Panel From Driver Door
RIGHT FRONT WINDOW DOWN	TAN	Harness In Driver's Kick Panel From Driver Door
LEFT REAR WINDOW UP	DARK GREEN	Harness In Driver's Kick Panel From Driver Door
LEFT REAR WINDOW DOWN	PURPLE	Harness In Driver's Kick Panel From Driver Door
RIGHT REAR WINDOW UP	LIGHT GREEN	Harness In Driver's Kick Panel From Driver Door
RIGHT REAR WINDOW DOWN	PURPLE	Harness In Driver's Kick Panel From Driver Door

INTERFACE	PART NUMBER	NOTES
VATS Bypass	Relay and resistor (Resistor value varies.) DEI 652T resistor pack contains all possible resistors. Refer to TechDoc 3739	Required when installing a remote start system

Please verify all part numbers before ordering.

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V	ORANGE	At Radio Harness	
12V SWITCHED	YELLOW	At Radio Harness	
RADIO GROUND	BLACK	At Radio Harness	
ILLUMINATION (+)	GRAY	At Radio Harness	
LEFT FRONT SPEAKER (+)	TAN	At Radio Harness Or Speaker	
LEFT FRONT SPEAKER (-)	GRAY	At Radio Harness Or Speaker	
RIGHT FRONT SPEAKER (+)	LT.GREEN	At Radio Harness Or Speaker	
RIGHT FRONT SPEAKER (-)	DK.GREEN	At Radio Harness Or Speaker	
LEFT REAR SPEAKER (+)	BROWN	At Radio Harness Or Speaker	
LEFT REAR SPEAKER (-)	YELLOW	At Radio Harness Or Speaker	
RIGHT REAR SPEAKER (+)	DK.BLUE	At Radio Harness Or Speaker	
RIGHT REAR SPEAKER (-)	LT.BLUE	At Radio Harness Or Speaker	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
4x6"	6x9"		
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-4000, SCOSCHE GM1588B		METRA 70-1858, SCOSCHE GM02	METRA 40-GM10, SCOSCHE MDA-1B
Please verify all part numbers before ordering.			

ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	RED	Ignition harness
STARTER WIRE	YELLOW	Ignition harness
12V IGNITION WIRE	PINK	Ignition harness
12V ACCESSORY WIRE	ORANGE	Ignition harness
POWER DOOR LOCK (+)	LT. BLUE	Harness In Driver's Kick Panel From Driver's Door
POWER DOOR UNLOCK (+)	WHITE	Harness In Driver's Kick Panel From Driver's Door
PARKING LIGHTS (+)	BROWN	Light Switch Or Harness In Driver's Kick Panel Running Toward Vehicle's Rear
DOOR TRIGGER WIRE (-)	WHITE	Courtesy Light Under Dash
TRUNK TRIGGER WIRE (-)	DARK GREEN	Harness In Driver's Kick Panel Running Toward Vehicle's Rear
TRUNK RELEASE WIRE (+)	BLACK/WHITE	At Trunk release switch
TACHOMETER WIRE	RED/BLACK	4-wire plug underneath air intake
BRAKE WIRE (+)	WHITE	Plug At Brake pedal switch
HORN TRIGGER (-)	BLACK	Harness At Steering column
LEFT FRONT WINDOW UP	DARK BLUE	At Motor Inside Driver's Door
LEFT FRONT WINDOW DOWN	BROWN	At Motor Inside Driver's Door
RIGHT FRONT WINDOW UP	LIGHT BLUE	Harness In Driver's Kick Panel From Driver Door
RIGHT FRONT WINDOW DOWN	TAN	Harness In Driver's Kick Panel From Driver Door
LEFT REAR WINDOW UP	DARK GREEN	Harness In Driver's Kick Panel From Driver Door
LEFT REAR WINDOW DOWN	PURPLE	Harness In Driver's Kick Panel From Driver Door
RIGHT REAR WINDOW UP	LIGHT GREEN	Harness In Driver's Kick Panel From Driver Door
RIGHT REAR WINDOW DOWN	PURPLE	Harness In Driver's Kick Panel From Driver Door

INTERFACE	PART NUMBER	NOTES
VATS Bypass	Relay and resistor (Resistor value varies.) DEI 652T resistor pack contains all possible resistors. Refer to TechDoc 3739	Required when installing a remote start system

Please verify all part numbers before ordering.

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V	ORANGE	At Radio Harness	
12V SWITCHED	YELLOW	At Radio Harness	
RADIO GROUND	BLACK	At Radio Harness	
ILLUMINATION (+)	GRAY	At Radio Harness	
LEFT FRONT SPEAKER (+)	TAN	At Radio Harness Or Speaker	
LEFT FRONT SPEAKER (-)	GRAY	At Radio Harness Or Speaker	
RIGHT FRONT SPEAKER (+)	LT.GREEN	At Radio Harness Or Speaker	
RIGHT FRONT SPEAKER (-)	DK.GREEN	At Radio Harness Or Speaker	
LEFT REAR SPEAKER (+)	BROWN	At Radio Harness Or Speaker	
LEFT REAR SPEAKER (-)	YELLOW	At Radio Harness Or Speaker	
RIGHT REAR SPEAKER (+)	DK.BLUE	At Radio Harness Or Speaker	
RIGHT REAR SPEAKER (-)	LT.BLUE	At Radio Harness Or Speaker	

FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
4x6"	6x9"		

RADIO DASH KIT OPTIONS	RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-4000, SCOSCHE GM1588B	METRA 70-1858, SCOSCHE GM02	METRA 40-GM10, SCOSCHE MDA-1B

Please verify all part numbers before ordering.

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	RED	Ignition harness
STARTER WIRE	YELLOW	Ignition harness
12V IGNITION WIRE	PINK	Ignition harness
12V ACCESSORY WIRE	ORANGE	Ignition harness
POWER DOOR LOCK (+)	LT. BLUE	Harness In Driver's Kick Panel From Driver's Door
POWER DOOR UNLOCK (+)	WHITE	Harness In Driver's Kick Panel From Driver's Door
PARKING LIGHTS (+)	BROWN	Light Switch Or Harness In Driver's Kick Panel Running Toward Vehicle's Rear
DOOR TRIGGER WIRE (-)	WHITE	Courtesy Light Under Dash
TRUNK TRIGGER WIRE (-)	DARK GREEN	Harness In Driver's Kick Panel Running Toward Vehicle's Rear
TRUNK RELEASE WIRE (+)	BLACK/WHITE	At Trunk release switch
TACHOMETER WIRE	RED/BLACK	4-wire plug underneath air intake
BRAKE WIRE (+)	WHITE	Plug At Brake pedal switch
HORN TRIGGER (-)	BLACK	Harness At Steering column
LEFT FRONT WINDOW UP	DARK BLUE	At Motor Inside Driver's Door
LEFT FRONT WINDOW DOWN	BROWN	At Motor Inside Driver's Door
RIGHT FRONT WINDOW UP	LIGHT BLUE	Harness In Driver's Kick Panel From Driver Door
RIGHT FRONT WINDOW DOWN	TAN	Harness In Driver's Kick Panel From Driver Door
LEFT REAR WINDOW UP	DARK GREEN	Harness In Driver's Kick Panel From Driver Door
LEFT REAR WINDOW DOWN	PURPLE	Harness In Driver's Kick Panel From Driver Door
RIGHT REAR WINDOW UP	LIGHT GREEN	Harness In Driver's Kick Panel From Driver Door
RIGHT REAR WINDOW DOWN	PURPLE	Harness In Driver's Kick Panel From Driver Door

INTERFACE	PART NUMBER	NOTES
VATS Bypass	Relay and resistor (Resistor value varies.) DEI 652T resistor pack contains all possible resistors. Refer to TechDoc 3739	Required when installing a remote start system

Please verify all part numbers before ordering.

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V	ORANGE	At Radio Harness	
12V SWITCHED	YELLOW	At Radio Harness	
RADIO GROUND	BLACK	At Radio Harness	
ILLUMINATION (+)	GRAY	At Radio Harness	
LEFT FRONT SPEAKER (+)	TAN	At Radio Harness Or Speaker	
LEFT FRONT SPEAKER (-)	GRAY	At Radio Harness Or Speaker	
RIGHT FRONT SPEAKER (+)	LT.GREEN	At Radio Harness Or Speaker	
RIGHT FRONT SPEAKER (-)	DK.GREEN	At Radio Harness Or Speaker	
LEFT REAR SPEAKER (+)	BROWN	At Radio Harness Or Speaker	
LEFT REAR SPEAKER (-)	YELLOW	At Radio Harness Or Speaker	
RIGHT REAR SPEAKER (+)	DK.BLUE	At Radio Harness Or Speaker	
RIGHT REAR SPEAKER (-)	LT.BLUE	At Radio Harness Or Speaker	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
4x6"	6x9"		
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-4000, SCOSCHE GM1588B		METRA 70-1858, SCOSCHE GM02	METRA 40-GM10, SCOSCHE MDA-1B
Please verify all part numbers before ordering.			

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	RED	Ignition harness
STARTER WIRE	YELLOW	Ignition harness
IGNITION WIRE	PINK	Ignition harness
SECOND ACCESSORY WIRE	GREEN	Ignition harness
ACCESSORY WIRE	ORANGE	Ignition harness
SECOND ACCESSORY	BROWN	Ignition harness

Notes: When installing a remote start system, the BROWN accessory wire must be energized as an accessory wire. If it is energized as an ignition wire, the engine will not crank.

POWER DOOR LOCK	ORANGE/BLACK	Body Control Module Above Brake Pedal
-----------------	--------------	---------------------------------------

Notes: Lock is negative trigger through a 470 ohm resistor. Refer to TechDoc 3957

POWER DOOR UNLOCK (-)	Same wire as lock
-----------------------	-------------------

Notes: Unlock is a negative trigger.

PARKING LIGHTS (-)	WHITE	Body Control Module Above Brake Pedal
--------------------	-------	---------------------------------------

Notes: The parking light wire must be relay isolated from the BCM to avoid the service engine soon light from coming on. Refer to TechDoc 3226.

DRIVER DOOR TRIGGER WIRE (-)	BLUE	Body Control Module Above Brake Pedal
------------------------------	------	---------------------------------------

PASSENGER DOOR TRIGGER (-)	BLUE/WHITE	Body Control Module
----------------------------	------------	---------------------

TRUNK RELEASE WIRE (-)	BLACK	Trunk Release switch
------------------------	-------	----------------------

TRUNK TRIGGER WIRE (-)	RED/BLACK	Body Control Module Above Brake Pedal
------------------------	-----------	---------------------------------------

FACTORY ALARM DISARM WIRE (-)	LT.GREEN	Body Control Module Above Brake Pedal
-------------------------------	----------	---------------------------------------

TACHOMETER WIRE	WHITE	Ignition coil
-----------------	-------	---------------

BRAKE WIRE (+)	WHITE	Plug at Brake Switch Or Harness In Driver's Kick Panel
----------------	-------	--

HORN TRIGGER (-)	BLACK	Harness At Steering column
------------------	-------	----------------------------

LEFT FRONT WINDOW UP	DARK BLUE	At Motor Inside Driver's Door
----------------------	-----------	-------------------------------

LEFT FRONT WINDOW DOWN	BROWN	At Motor Inside Driver's Door
------------------------	-------	-------------------------------

RIGHT FRONT WINDOW UP	LIGHT BLUE	Harness In Driver's Kick Panel From Driver Door
-----------------------	------------	---

RIGHT FRONT WINDOW DOWN	TAN	Harness In Driver's Kick Panel From Driver Door
-------------------------	-----	---

LEFT REAR WINDOW UP	DARK GREEN	Harness In Driver's Kick Panel From Driver Door
---------------------	------------	---

LEFT REAR WINDOW DOWN	PURPLE	Harness In Driver's Kick Panel From Driver Door
-----------------------	--------	---

RIGHT REAR WINDOW UP	LIGHT GREEN	Harness In Driver's Kick Panel From Driver Door
----------------------	-------------	---

RIGHT REAR WINDOW DOWN	PURPLE	Harness In Driver's Kick Panel From Driver Door
------------------------	--------	---

INTERFACE	PART NUMBER	NOTES
-----------	-------------	-------

Passlock II Bypass Module	DEI 556LW or DEI 555LW	Required when installing a remote start system. Refer to TechDoc 3741.
---------------------------	------------------------	--

Please verify all part numbers before ordering.

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V	ORANGE	At Radio Harness	
12V SWITCHED			The radio harness does not supply a switched power source
RADIO GROUND	BLACK	At Radio Harness	
ILLUMINATION (+)	GRAY	At Radio Harness	
LEFT FRONT SPEAKER (+)	TAN	At Radio Harness Or Speaker	
LEFT FRONT SPEAKER (-)	GRAY	At Radio Harness Or Speaker	
RIGHT FRONT SPEAKER (+)	LT.GREEN	At Radio Harness Or Speaker	
RIGHT FRONT SPEAKER (-)	DK.GREEN	At Radio Harness Or Speaker	
LEFT REAR SPEAKER (+)	BROWN	At Radio Harness Or Speaker	
LEFT REAR SPEAKER (-)	YELLOW	At Radio Harness Or Speaker	
RIGHT REAR SPEAKER (+)	DK.BLUE	At Radio Harness Or Speaker	
RIGHT REAR SPEAKER (-)	LT.BLUE	At Radio Harness Or Speaker	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	6x9"		
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-2003, SCOSCHE GM1583B		METRA GMOS-01, SCOSCHE DCGM09	METRA 40-GM10, SCOSCHE MDA-1B
Notes: Use METRA GMRC-01 for wiring harness if not equipped with OnStar			
Please verify all part numbers before ordering.			

ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	RED	Ignition harness
STARTER WIRE	YELLOW	Ignition harness
IGNITION WIRE	PINK	Ignition harness
SECOND ACCESSORY WIRE	GREEN	Ignition harness
ACCESSORY WIRE	ORANGE	Ignition harness
SECOND ACCESSORY	BROWN	Ignition harness

Notes: When installing a remote start system, the BROWN accessory wire must be energized as an accessory wire. If it is energized as an ignition wire, the engine will not crank.

POWER DOOR LOCK	ORANGE/BLACK	Body Control Module Above Brake Pedal
-----------------	--------------	---------------------------------------

Notes: Lock is negative trigger through a 470 ohm resistor. Refer to TechDoc 3957

POWER DOOR UNLOCK (-)	Same wire as lock
-----------------------	-------------------

Notes: Unlock is a negative trigger.

PARKING LIGHTS (-)	WHITE	Body Control Module Above Brake Pedal
--------------------	-------	---------------------------------------

Notes: The parking light wire must be relay isolated from the BCM to avoid the service engine soon light from coming on. Refer to TechDoc 3226.

DRIVER DOOR TRIGGER WIRE (-)	BLUE	Body Control Module Above Brake Pedal
------------------------------	------	---------------------------------------

PASSENGER DOOR TRIGGER (-)	BLUE/WHITE	Body Control Module
----------------------------	------------	---------------------

TRUNK RELEASE WIRE (-)	BLACK	Trunk Release switch
------------------------	-------	----------------------

TRUNK TRIGGER WIRE (-)	RED/BLACK	Body Control Module Above Brake Pedal
------------------------	-----------	---------------------------------------

FACTORY ALARM DISARM WIRE (-)	LT.GREEN	Body Control Module Above Brake Pedal
-------------------------------	----------	---------------------------------------

TACHOMETER WIRE	WHITE	Ignition coil
-----------------	-------	---------------

BRAKE WIRE (+)	WHITE	Plug at Brake Switch Or Harness In Driver's Kick Panel
----------------	-------	--

HORN TRIGGER (-)	BLACK	Harness At Steering column
------------------	-------	----------------------------

LEFT FRONT WINDOW UP	DARK BLUE	At Motor Inside Driver's Door
----------------------	-----------	-------------------------------

LEFT FRONT WINDOW DOWN	BROWN	At Motor Inside Driver's Door
------------------------	-------	-------------------------------

RIGHT FRONT WINDOW UP	LIGHT BLUE	Harness In Driver's Kick Panel From Driver Door
-----------------------	------------	---

RIGHT FRONT WINDOW DOWN	TAN	Harness In Driver's Kick Panel From Driver Door
-------------------------	-----	---

LEFT REAR WINDOW UP	DARK GREEN	Harness In Driver's Kick Panel From Driver Door
---------------------	------------	---

LEFT REAR WINDOW DOWN	PURPLE	Harness In Driver's Kick Panel From Driver Door
-----------------------	--------	---

RIGHT REAR WINDOW UP	LIGHT GREEN	Harness In Driver's Kick Panel From Driver Door
----------------------	-------------	---

RIGHT REAR WINDOW DOWN	PURPLE	Harness In Driver's Kick Panel From Driver Door
------------------------	--------	---

INTERFACE	PART NUMBER	NOTES
Passlock II Bypass Module	DEI 556LW or DEI 555LW	Required when installing a remote start system. Refer to TechDoc 3741.

Please verify all part numbers before ordering.

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V	ORANGE	At Radio Harness	
12V SWITCHED			The radio harness does not provide a switched power source
RADIO GROUND	BLACK	At Radio Harness	
ILLUMINATION (+)	GRAY	At Radio Harness	
LEFT FRONT SPEAKER (+)	TAN	At Radio Harness Or Speaker	
LEFT FRONT SPEAKER (-)	GRAY	At Radio Harness Or Speaker	
RIGHT FRONT SPEAKER (+)	LT.GREEN	At Radio Harness Or Speaker	
RIGHT FRONT SPEAKER (-)	DK.GREEN	At Radio Harness Or Speaker	
LEFT REAR SPEAKER (+)	BROWN	At Radio Harness Or Speaker	
LEFT REAR SPEAKER (-)	YELLOW	At Radio Harness Or Speaker	
RIGHT REAR SPEAKER (+)	DK.BLUE	At Radio Harness Or Speaker	
RIGHT REAR SPEAKER (-)	LT.BLUE	At Radio Harness Or Speaker	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	6x9"		
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-2003, SCOSCHE GM1583B		METRA GMOS-01, SCOSCHE DCGM09	METRA 40-GM10, SCOSCHE MDA-1B
Notes: Use METRA GMRC-01 for wiring harness if not equipped with OnStar			
Please verify all part numbers before ordering.			

ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	RED	Ignition harness
STARTER WIRE	YELLOW	Ignition harness
IGNITION WIRE	PINK	Ignition harness
SECOND ACCESSORY WIRE	GREEN	Ignition harness
ACCESSORY WIRE	ORANGE	Ignition harness
SECOND ACCESSORY	BROWN	Ignition harness

Notes: When installing a remote start system, the BROWN accessory wire must be energized as an accessory wire. If it is energized as an ignition wire, the engine will not crank.

POWER DOOR LOCK	ORANGE/BLACK	Body Control Module Above Brake Pedal
-----------------	--------------	---------------------------------------

Notes: Lock is negative trigger through a 470 ohm resistor. Refer to TechDoc 3957

POWER DOOR UNLOCK (-)	Same wire as lock
-----------------------	-------------------

Notes: Unlock is a negative trigger.

PARKING LIGHTS (-)	WHITE	Body Control Module Above Brake Pedal
--------------------	-------	---------------------------------------

Notes: The parking light wire must be relay isolated from the BCM to avoid the service engine soon light from coming on. Refer to TechDoc 3226.

DRIVER DOOR TRIGGER WIRE (-)	BLUE	Body Control Module Above Brake Pedal
------------------------------	------	---------------------------------------

PASSENGER DOOR TRIGGER (-)	BLUE/WHITE	Body Control Module
----------------------------	------------	---------------------

TRUNK RELEASE WIRE (-)	BLACK	Trunk Release switch
------------------------	-------	----------------------

TRUNK TRIGGER WIRE (-)	RED/BLACK	Body Control Module Above Brake Pedal
------------------------	-----------	---------------------------------------

FACTORY ALARM DISARM WIRE (-)	LT.GREEN	Body Control Module Above Brake Pedal
-------------------------------	----------	---------------------------------------

TACHOMETER WIRE	WHITE	Ignition coil
-----------------	-------	---------------

BRAKE WIRE (+)	WHITE	Plug at Brake Switch Or Harness In Driver's Kick Panel
----------------	-------	--

HORN TRIGGER (-)	BLACK	Harness At Steering column
------------------	-------	----------------------------

LEFT FRONT WINDOW UP	DARK BLUE	At Motor Inside Driver's Door
----------------------	-----------	-------------------------------

LEFT FRONT WINDOW DOWN	BROWN	At Motor Inside Driver's Door
------------------------	-------	-------------------------------

RIGHT FRONT WINDOW UP	LIGHT BLUE	Harness In Driver's Kick Panel From Driver Door
-----------------------	------------	---

RIGHT FRONT WINDOW DOWN	TAN	Harness In Driver's Kick Panel From Driver Door
-------------------------	-----	---

LEFT REAR WINDOW UP	DARK GREEN	Harness In Driver's Kick Panel From Driver Door
---------------------	------------	---

LEFT REAR WINDOW DOWN	PURPLE	Harness In Driver's Kick Panel From Driver Door
-----------------------	--------	---

RIGHT REAR WINDOW UP	LIGHT GREEN	Harness In Driver's Kick Panel From Driver Door
----------------------	-------------	---

RIGHT REAR WINDOW DOWN	PURPLE	Harness In Driver's Kick Panel From Driver Door
------------------------	--------	---

INTERFACE	PART NUMBER	NOTES
Passlock II Bypass Module	DEI 556LW or DEI 555LW	Required when installing a remote start system. Refer to TechDoc 3741.

Please verify all part numbers before ordering.

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V	ORANGE	At Radio Harness	
12V SWITCHED			The radio harness does not provide a switched power source
RADIO GROUND	BLACK	At Radio Harness	
ILLUMINATION (+)	GRAY	At Radio Harness	
LEFT FRONT SPEAKER (+)	TAN	At Radio Harness Or Speaker	
LEFT FRONT SPEAKER (-)	GRAY	At Radio Harness Or Speaker	
RIGHT FRONT SPEAKER (+)	LT.GREEN	At Radio Harness Or Speaker	
RIGHT FRONT SPEAKER (-)	DK.GREEN	At Radio Harness Or Speaker	
LEFT REAR SPEAKER (+)	BROWN	At Radio Harness Or Speaker	
LEFT REAR SPEAKER (-)	YELLOW	At Radio Harness Or Speaker	
RIGHT REAR SPEAKER (+)	DK.BLUE	At Radio Harness Or Speaker	
RIGHT REAR SPEAKER (-)	LT.BLUE	At Radio Harness Or Speaker	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	6x9"		
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-2003, SCOSCHE GM1583B		METRA GMOS-01, SCOSCHE DCGM09	METRA 40-GM10, SCOSCHE MDA-1B
Notes: Use METRA GMRC-01 for wiring harness if not equipped with OnStar			
Please verify all part numbers before ordering.			

ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	RED	Ignition harness
STARTER WIRE	YELLOW	Ignition harness
IGNITION WIRE	PINK	Ignition harness
SECOND ACCESSORY WIRE	GREEN	Ignition harness
ACCESSORY WIRE	ORANGE	Ignition harness
SECOND ACCESSORY	BROWN	Ignition harness

Notes: When installing a remote start system, the BROWN accessory wire must be energized as an accessory wire. If it is energized as an ignition wire, the engine will not crank.

POWER DOOR LOCK	ORANGE/BLACK	Body Control Module Above Brake Pedal
-----------------	--------------	---------------------------------------

Notes: Lock is negative trigger through a 470 ohm resistor. Refer to TechDoc 3957

POWER DOOR UNLOCK (-)	Same wire as lock
-----------------------	-------------------

Notes: Unlock is a negative trigger.

PARKING LIGHTS (-)	WHITE	Body Control Module Above Brake Pedal
--------------------	-------	---------------------------------------

Notes: The parking light wire must be relay isolated from the BCM to avoid the service engine soon light from coming on. Refer to TechDoc 3226.

DRIVER DOOR TRIGGER WIRE (-)	BLUE	Body Control Module Above Brake Pedal
------------------------------	------	---------------------------------------

PASSENGER DOOR TRIGGER (-)	BLUE/WHITE	Body Control Module
----------------------------	------------	---------------------

TRUNK RELEASE WIRE (-)	BLACK	Trunk Release switch
------------------------	-------	----------------------

TRUNK TRIGGER WIRE (-)	RED/BLACK	Body Control Module Above Brake Pedal
------------------------	-----------	---------------------------------------

FACTORY ALARM DISARM WIRE (-)	LT.GREEN	Body Control Module Above Brake Pedal
-------------------------------	----------	---------------------------------------

TACHOMETER WIRE	WHITE	Ignition coil
-----------------	-------	---------------

BRAKE WIRE (+)	WHITE	Plug at Brake Switch Or Harness In Driver's Kick Panel
----------------	-------	--

HORN TRIGGER (-)	BLACK	Harness At Steering column
------------------	-------	----------------------------

LEFT FRONT WINDOW UP	DARK BLUE	At Motor Inside Driver's Door
----------------------	-----------	-------------------------------

LEFT FRONT WINDOW DOWN	BROWN	At Motor Inside Driver's Door
------------------------	-------	-------------------------------

RIGHT FRONT WINDOW UP	LIGHT BLUE	Harness In Driver's Kick Panel From Driver Door
-----------------------	------------	---

RIGHT FRONT WINDOW DOWN	TAN	Harness In Driver's Kick Panel From Driver Door
-------------------------	-----	---

LEFT REAR WINDOW UP	DARK GREEN	Harness In Driver's Kick Panel From Driver Door
---------------------	------------	---

LEFT REAR WINDOW DOWN	PURPLE	Harness In Driver's Kick Panel From Driver Door
-----------------------	--------	---

RIGHT REAR WINDOW UP	LIGHT GREEN	Harness In Driver's Kick Panel From Driver Door
----------------------	-------------	---

RIGHT REAR WINDOW DOWN	PURPLE	Harness In Driver's Kick Panel From Driver Door
------------------------	--------	---

INTERFACE	PART NUMBER	NOTES
Passlock II Bypass Module	DEI 556LW or DEI 555LW	Required when installing a remote start system. Refer to TechDoc 3741.

Please verify all part numbers before ordering.

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V	ORANGE	At Radio Harness	
12V SWITCHED			The radio harness does not provide a switched power source
RADIO GROUND	BLACK	At Radio Harness	
ILLUMINATION (+)	GRAY	At Radio Harness	
LEFT FRONT SPEAKER (+)	TAN	At Radio Harness Or Speaker	
LEFT FRONT SPEAKER (-)	GRAY	At Radio Harness Or Speaker	
RIGHT FRONT SPEAKER (+)	LT.GREEN	At Radio Harness Or Speaker	
RIGHT FRONT SPEAKER (-)	DK.GREEN	At Radio Harness Or Speaker	
LEFT REAR SPEAKER (+)	BROWN	At Radio Harness Or Speaker	
LEFT REAR SPEAKER (-)	YELLOW	At Radio Harness Or Speaker	
RIGHT REAR SPEAKER (+)	DK.BLUE	At Radio Harness Or Speaker	
RIGHT REAR SPEAKER (-)	LT.BLUE	At Radio Harness Or Speaker	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	6x9"		
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-2003, SCOSCHE GM1583B		METRA GMOS-01, SCOSCHE DCGM09	METRA 40-GM10, SCOSCHE MDA-1B
Notes: Use METRA GMRC-01 for wiring harness if not equipped with OnStar			
Please verify all part numbers before ordering.			

ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	RED	Ignition harness
STARTER WIRE	YELLOW	Ignition harness
IGNITION WIRE	PINK	Ignition harness
SECOND ACCESSORY WIRE	GREEN	Ignition harness
ACCESSORY WIRE	ORANGE	Ignition harness
SECOND ACCESSORY	BROWN	Ignition harness

Notes: When installing a remote start system, the BROWN accessory wire must be energized as an accessory wire. If it is energized as an ignition wire, the engine will not crank.

POWER DOOR LOCK	ORANGE/BLACK	Body Control Module Above Brake Pedal
-----------------	--------------	---------------------------------------

Notes: Lock is negative trigger through a 470 ohm resistor. Refer to TechDoc 3957

POWER DOOR UNLOCK (-)	Same wire as lock
-----------------------	-------------------

Notes: Unlock is a negative trigger.

PARKING LIGHTS (-)	WHITE	Body Control Module Above Brake Pedal
--------------------	-------	---------------------------------------

Notes: The parking light wire must be relay isolated from the BCM to avoid the service engine soon light from coming on. Refer to TechDoc 3226.

DRIVER DOOR TRIGGER WIRE (-)	BLUE	Body Control Module Above Brake Pedal
------------------------------	------	---------------------------------------

PASSENGER DOOR TRIGGER (-)	BLUE/WHITE	Body Control Module
----------------------------	------------	---------------------

TRUNK RELEASE WIRE (-)	BLACK	Trunk Release switch
------------------------	-------	----------------------

TRUNK TRIGGER WIRE (-)	RED/BLACK	Body Control Module Above Brake Pedal
------------------------	-----------	---------------------------------------

FACTORY ALARM DISARM WIRE (-)	LT.GREEN	Body Control Module Above Brake Pedal
-------------------------------	----------	---------------------------------------

TACHOMETER WIRE	WHITE	Ignition coil
-----------------	-------	---------------

BRAKE WIRE (+)	WHITE	Plug at Brake Switch Or Harness In Driver's Kick Panel
----------------	-------	--

HORN TRIGGER (-)	BLACK	Harness At Steering column
------------------	-------	----------------------------

LEFT FRONT WINDOW UP	DARK BLUE	At Motor Inside Driver's Door
----------------------	-----------	-------------------------------

LEFT FRONT WINDOW DOWN	BROWN	At Motor Inside Driver's Door
------------------------	-------	-------------------------------

RIGHT FRONT WINDOW UP	LIGHT BLUE	Harness In Driver's Kick Panel From Driver Door
-----------------------	------------	---

RIGHT FRONT WINDOW DOWN	TAN	Harness In Driver's Kick Panel From Driver Door
-------------------------	-----	---

LEFT REAR WINDOW UP	DARK GREEN	Harness In Driver's Kick Panel From Driver Door
---------------------	------------	---

LEFT REAR WINDOW DOWN	PURPLE	Harness In Driver's Kick Panel From Driver Door
-----------------------	--------	---

RIGHT REAR WINDOW UP	LIGHT GREEN	Harness In Driver's Kick Panel From Driver Door
----------------------	-------------	---

RIGHT REAR WINDOW DOWN	PURPLE	Harness In Driver's Kick Panel From Driver Door
------------------------	--------	---

INTERFACE	PART NUMBER	NOTES
Passlock II Bypass Module	DEI 556LW or DEI 555LW	Required when installing a remote start system. Refer to TechDoc 3741.

Please verify all part numbers before ordering.

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V	ORANGE	At Radio Harness	
12V SWITCHED			The radio harness does not provide a switched power source
RADIO GROUND	BLACK	At Radio Harness	
ILLUMINATION (+)	GRAY	At Radio Harness	
LEFT FRONT SPEAKER (+)	TAN	At Radio Harness Or Speaker	
LEFT FRONT SPEAKER (-)	GRAY	At Radio Harness Or Speaker	
RIGHT FRONT SPEAKER (+)	LT.GREEN	At Radio Harness Or Speaker	
RIGHT FRONT SPEAKER (-)	DK.GREEN	At Radio Harness Or Speaker	
LEFT REAR SPEAKER (+)	BROWN	At Radio Harness Or Speaker	
LEFT REAR SPEAKER (-)	YELLOW	At Radio Harness Or Speaker	
RIGHT REAR SPEAKER (+)	DK.BLUE	At Radio Harness Or Speaker	
RIGHT REAR SPEAKER (-)	LT.BLUE	At Radio Harness Or Speaker	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	6x9"		
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-2003, SCOSCHE GM1583B		METRA GMOS-01, SCOSCHE DCGM09	METRA 40-GM10, SCOSCHE MDA-1B
Notes: Use METRA GMRC-01 for wiring harness if not equipped with OnStar			
Please verify all part numbers before ordering.			

ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	RED	Ignition harness
STARTER WIRE	YELLOW	Ignition harness
IGNITION WIRE	PINK	Ignition harness
SECOND ACCESSORY WIRE	GREEN	Ignition harness
ACCESSORY WIRE	ORANGE	Ignition harness
SECOND ACCESSORY	BROWN	Ignition harness

Notes: When installing a remote start system, the BROWN accessory wire must be energized as an accessory wire. If it is energized as an ignition wire, the engine will not crank.

POWER DOOR LOCK	ORANGE/BLACK	Body Control Module Above Brake Pedal
-----------------	--------------	---------------------------------------

Notes: Lock is negative trigger through a 470 ohm resistor. Refer to TechDoc 3957

POWER DOOR UNLOCK (-)	Same wire as lock
-----------------------	-------------------

Notes: Unlock is a negative trigger.

PARKING LIGHTS (-)	WHITE	Body Control Module Above Brake Pedal
--------------------	-------	---------------------------------------

Notes: The parking light wire must be relay isolated from the BCM to avoid the service engine soon light from coming on. Refer to TechDoc 3226.

DRIVER DOOR TRIGGER WIRE (-)	BLUE	Body Control Module Above Brake Pedal
------------------------------	------	---------------------------------------

PASSENGER DOOR TRIGGER (-)	BLUE/WHITE	Body Control Module
----------------------------	------------	---------------------

TRUNK RELEASE WIRE (-)	BLACK	Trunk Release switch
------------------------	-------	----------------------

TRUNK TRIGGER WIRE (-)	RED/BLACK	Body Control Module Above Brake Pedal
------------------------	-----------	---------------------------------------

FACTORY ALARM DISARM WIRE (-)	LT.GREEN	Body Control Module Above Brake Pedal
-------------------------------	----------	---------------------------------------

TACHOMETER WIRE	WHITE	Ignition coil
-----------------	-------	---------------

BRAKE WIRE (+)	WHITE	Plug at Brake Switch Or Harness In Driver's Kick Panel
----------------	-------	--

HORN TRIGGER (-)	BLACK	Harness At Steering column
------------------	-------	----------------------------

LEFT FRONT WINDOW UP	DARK BLUE	At Motor Inside Driver's Door
----------------------	-----------	-------------------------------

LEFT FRONT WINDOW DOWN	BROWN	At Motor Inside Driver's Door
------------------------	-------	-------------------------------

RIGHT FRONT WINDOW UP	LIGHT BLUE	Harness In Driver's Kick Panel From Driver Door
-----------------------	------------	---

RIGHT FRONT WINDOW DOWN	TAN	Harness In Driver's Kick Panel From Driver Door
-------------------------	-----	---

LEFT REAR WINDOW UP	DARK GREEN	Harness In Driver's Kick Panel From Driver Door
---------------------	------------	---

LEFT REAR WINDOW DOWN	PURPLE	Harness In Driver's Kick Panel From Driver Door
-----------------------	--------	---

RIGHT REAR WINDOW UP	LIGHT GREEN	Harness In Driver's Kick Panel From Driver Door
----------------------	-------------	---

RIGHT REAR WINDOW DOWN	PURPLE	Harness In Driver's Kick Panel From Driver Door
------------------------	--------	---

INTERFACE	PART NUMBER	NOTES
Passlock II Bypass Module	DEI 556LW or DEI 555LW	Required when installing a remote start system. Refer to TechDoc 3741.

Please verify all part numbers before ordering.

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V	ORANGE	At Radio Harness	
12V SWITCHED			The radio harness does not provide a switched power source
RADIO GROUND	BLACK	At Radio Harness	
ILLUMINATION (+)	GRAY	At Radio Harness	
LEFT FRONT SPEAKER (+)	TAN	At Radio Harness Or Speaker	
LEFT FRONT SPEAKER (-)	GRAY	At Radio Harness Or Speaker	
RIGHT FRONT SPEAKER (+)	LT.GREEN	At Radio Harness Or Speaker	
RIGHT FRONT SPEAKER (-)	DK.GREEN	At Radio Harness Or Speaker	
LEFT REAR SPEAKER (+)	BROWN	At Radio Harness Or Speaker	
LEFT REAR SPEAKER (-)	YELLOW	At Radio Harness Or Speaker	
RIGHT REAR SPEAKER (+)	DK.BLUE	At Radio Harness Or Speaker	
RIGHT REAR SPEAKER (-)	LT.BLUE	At Radio Harness Or Speaker	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	6x9"		
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-2003, SCOSCHE GM1583B		METRA GMOS-01, SCOSCHE DCGM09	METRA 40-GM10, SCOSCHE MDA-1B
Notes: Use METRA GMRC-01 for wiring harness if not equipped with OnStar			
Please verify all part numbers before ordering.			