

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	Must go to battery for 12V	Battery
STARTER WIRE	PURPLE (Not For Remote Start)	At Fuse Box In Engine Bay
IGNITION WIRE	WHITE/GREEN or DK.BLUE	Ignition Harness
ACCESSORY WIRE	WHITE/RED or BROWN	Ignition Harness
POWER DOOR LOCK (-)	LT.BLUE	Harness In Driver's Kick Panel Or Black Plug At BCM In Passenger Kick Panel
POWER DOOR UNLOCK (-)	DK.BLUE	Harness In Driver's Kick Panel Or Black Plug At BCM In Passenger Kick Panel
<b>Notes:</b> The WHITE wire in the black plug at the BCM in the passenger kick panel will unlock only the driver's door.		
PARKING LIGHTS (+)	BROWN	Black Plug At BCM In Passenger Kick Panel
PARKING LIGHTS (-)	BROWN/WHITE	Gray Plug At BCM In Passenger Kick Panel
LEFT FRONT DOOR TRIGGER (-)	GRAY/BLACK	Black Plug At BCM In Passenger Kick Panel
RIGHT FRONT DOOR TRIGGER (-)	LT.GREEN/BLACK	Black Plug At BCM In Passenger Kick Panel
LEFT REAR DOOR TRIGGER (-)	LT.BLUE/BLACK	Black Plug At BCM In Passenger Kick Panel
RIGHT REAR DOOR TRIGGER (-)	BLACK/WHITE	Black Plug At BCM In Passenger Kick Panel
DOMELIGHT SUPERVISION (-)	WHITE	Black Plug At BCM In Passenger Kick Panel
FACTORY ALARM ARM AND DISARM	Factory Remote Only	
TACHOMETER WIRE	NOT PINK or BLACK	Any Ignition Coil Or Fuel Injector
BRAKE WIRE (+)	LT.BLUE	At Brake Pedal Switch
HORN TRIGGER (-)	GREEN Or BLACK	Gray Plug At BCM In Passenger Kick Panel
LEFT FRONT WINDOW UP	DK.BLUE	At Switch Inside Respective Door
LEFT FRONT WINDOW DOWN	BROWN	At Switch Inside Respective Door
RIGHT FRONT WINDOW UP	DK.BLUE	At Switch Inside Respective Door
RIGHT FRONT WINDOW DOWN	BROWN	At Switch Inside Respective Door
LEFT REAR WINDOW UP	DK.BLUE	At Switch Inside Respective Door
LEFT REAR WINDOW DOWN	BROWN	At Switch Inside Respective Door
RIGHT REAR WINDOW UP	DK.BLUE	At Switch Inside Respective Door
RIGHT REAR WINDOW DOWN	BROWN	At Switch Inside Respective Door

INTERFACE	PART NUMBER	NOTES
Passlock II Bypass Module	DEI 556LW or DEI 555LW	Required when installing a remote start system. Refer to TechDoc 3741.

Please verify all part numbers before ordering.

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V CONSTANT WIRE	ORANGE	Radio Harness	
RADIO SWITCHED WIRE			The radio harness does not provide a switched power source
RADIO GROUND WIRE	BLACK/WHITE	Radio Harness	
AMP TURN-ON WIRE (+)	PINK	Radio Harness	
LEFT FRONT SPEAKER (+)	TAN	Left Front Speaker	
LEFT FRONT SPEAKER (-)	GRAY	Left Front Speaker	
LEFT FRONT TWEETER (+)	BLACK	Left Front Speaker	
LEFT FRONT TWEETER (-)	YELLOW	Left Front Speaker	
RIGHT FRONT SPEAKER (+)	LT.GREEN	Right Front Speaker	
RIGHT FRONT SPEAKER (-)	DK.GREEN	Right Front Speaker	
RIGHT FRONT TWEETER (+)	LT.GREEN	Left Front Speaker	
RIGHT FRONT TWEETER (-)	PURPLE	Left Front Speaker	
LEFT REAR SPEAKER (+)	BROWN	Left Rear Speaker	
LEFT REAR SPEAKER (-)	YELLOW	Left Rear Speaker	
RIGHT REAR SPEAKER (+)	DK.BLUE	Right Rear Speaker	
RIGHT REAR SPEAKER (-)	LT.BLUE	Right Rear Speaker	
LEFT SUBWOOFER (+)	DK.BLUE/WITE	Left Subwoofer	
LEFT SUBWOOFER (-)	LT.GREEN/BLACK	Left Subwoofer	
RIGHT SUBWOOFER (+)	DK.GREEN	Right Subwoofer	
RIGHT SUBWOOFER (-)	LT.BLUE/BLACK	Right Subwoofer	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5", 1" Tweeter	6.5"	Behind trim near subwoofer	If equipped with Monsoon, subwoofer is 10"
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-3304 SCOSCHE GM1594B		METRA GMOS-01, SCOSCHE DCGM09	METRA 40-GM10, SCOSCHE MDA-1B
Please verify all part numbers before ordering.			

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	Must go to battery for 12V	Battery
STARTER WIRE	PURPLE (Not For Remote Start)	At Fuse Box In Engine Bay
IGNITION WIRE	WHITE/GREEN or DK.BLUE	Ignition Harness
ACCESSORY WIRE	WHITE/RED or BROWN	Ignition Harness
POWER DOOR LOCK (-)	LT.BLUE	Harness In Driver's Kick Panel Or Black Plug At BCM In Passenger Kick Panel
POWER DOOR UNLOCK (-)	DK.BLUE	Harness In Driver's Kick Panel Or Black Plug At BCM In Passenger Kick Panel
<b>Notes:</b> The WHITE wire in the black plug at the BCM in the passenger kick panel will unlock only the driver's door.		
PARKING LIGHTS (+)	BROWN	Black Plug At BCM In Passenger Kick Panel
PARKING LIGHTS (-)	BROWN/WHITE	Gray Plug At BCM In Passenger Kick Panel
LEFT FRONT DOOR TRIGGER (-)	GRAY/BLACK	Black Plug At BCM In Passenger Kick Panel
RIGHT FRONT DOOR TRIGGER (-)	LT.GREEN/BLACK	Black Plug At BCM In Passenger Kick Panel
LEFT REAR DOOR TRIGGER (-)	LT.BLUE/BLACK	Black Plug At BCM In Passenger Kick Panel
RIGHT REAR DOOR TRIGGER (-)	BLACK/WHITE	Black Plug At BCM In Passenger Kick Panel
DOMELIGHT SUPERVISION (-)	WHITE	Black Plug At BCM In Passenger Kick Panel
FACTORY ALARM ARM AND DISARM	Factory Remote Only	
TACHOMETER WIRE	NOT PINK or BLACK	Any Ignition Coil Or Fuel Injector
BRAKE WIRE (+)	LT.BLUE	At Brake Pedal Switch
HORN TRIGGER (-)	GREEN Or BLACK	Gray Plug At BCM In Passenger Kick Panel
LEFT FRONT WINDOW UP	DK.BLUE	At Switch Inside Respective Door
LEFT FRONT WINDOW DOWN	BROWN	At Switch Inside Respective Door
RIGHT FRONT WINDOW UP	DK.BLUE	At Switch Inside Respective Door
RIGHT FRONT WINDOW DOWN	BROWN	At Switch Inside Respective Door
LEFT REAR WINDOW UP	DK.BLUE	At Switch Inside Respective Door
LEFT REAR WINDOW DOWN	BROWN	At Switch Inside Respective Door
RIGHT REAR WINDOW UP	DK.BLUE	At Switch Inside Respective Door
RIGHT REAR WINDOW DOWN	BROWN	At Switch Inside Respective Door

INTERFACE	PART NUMBER	NOTES
Passlock II Bypass Module	DEI 556LW or DEI 555LW	Required when installing a remote start system. Refer to TechDoc 3741.

Please verify all part numbers before ordering.

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V CONSTANT WIRE	ORANGE	Radio Harness	
RADIO SWITCHED WIRE			The radio harness does not supply a switched power source
RADIO GROUND WIRE	BLACK/WHITE	Radio Harness	
AMP TURN-ON WIRE (+)	PINK	Radio Harness	
LEFT FRONT SPEAKER (+)	TAN	Left Front Speaker	
LEFT FRONT SPEAKER (-)	GRAY	Left Front Speaker	
LEFT FRONT TWEETER (+)	BLACK	Left Front Speaker	
LEFT FRONT TWEETER (-)	YELLOW	Left Front Speaker	
RIGHT FRONT SPEAKER (+)	LT.GREEN	Right Front Speaker	
RIGHT FRONT SPEAKER (-)	DK.GREEN	Right Front Speaker	
RIGHT FRONT TWEETER (+)	LT.GREEN	Left Front Speaker	
RIGHT FRONT TWEETER (-)	PURPLE	Left Front Speaker	
LEFT REAR SPEAKER (+)	BROWN	Left Rear Speaker	
LEFT REAR SPEAKER (-)	YELLOW	Left Rear Speaker	
RIGHT REAR SPEAKER (+)	DK.BLUE	Right Rear Speaker	
RIGHT REAR SPEAKER (-)	LT.BLUE	Right Rear Speaker	
LEFT SUBWOOFER (+)	DK.BLUE/WITE	Left Subwoofer	
LEFT SUBWOOFER (-)	LT.GREEN/BLACK	Left Subwoofer	
RIGHT SUBWOOFER (+)	DK.GREEN	Right Subwoofer	
RIGHT SUBWOOFER (-)	LT.BLUE/BLACK	Right Subwoofer	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5", 1" Tweeter	6.5"	Behind trim near subwoofer	If equipped with Monsoon, subwoofer is 10"
RADIO DASH KIT OPTIONS	RADIO WIRE HARNESS OPTIONS		ANTENNA ADAPTER OPTIONS
METRA 99-3304 SCOSCHE GM1594B	METRA GMOS-01, SCOSCHE DCGM09		METRA 40-GM10, SCOSCHE MDA-1B
Please verify all part numbers before ordering.			

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	Must go to battery for 12V	Battery
STARTER WIRE	PURPLE (Not For Remote Start)	At Fuse Box In Engine Bay
IGNITION WIRE	WHITE/GREEN or DK.BLUE	Ignition Harness
ACCESSORY WIRE	WHITE/RED or BROWN	Ignition Harness
POWER DOOR LOCK (-)	LT.BLUE	Harness In Driver's Kick Panel Or Black Plug At BCM In Passenger Kick Panel
POWER DOOR UNLOCK (-)	DK.BLUE	Harness In Driver's Kick Panel Or Black Plug At BCM In Passenger Kick Panel
<b>Notes:</b> The WHITE wire in the black plug at the BCM in the passenger kick panel will unlock only the driver's door.		
PARKING LIGHTS (+)	BROWN	Black Plug At BCM In Passenger Kick Panel
PARKING LIGHTS (-)	BROWN/WHITE	Gray Plug At BCM In Passenger Kick Panel
LEFT FRONT DOOR TRIGGER (-)	GRAY/BLACK	Black Plug At BCM In Passenger Kick Panel
RIGHT FRONT DOOR TRIGGER (-)	LT.GREEN/BLACK	Black Plug At BCM In Passenger Kick Panel
LEFT REAR DOOR TRIGGER (-)	LT.BLUE/BLACK	Black Plug At BCM In Passenger Kick Panel
RIGHT REAR DOOR TRIGGER (-)	BLACK/WHITE	Black Plug At BCM In Passenger Kick Panel
DOMELIGHT SUPERVISION (-)	WHITE	Black Plug At BCM In Passenger Kick Panel
FACTORY ALARM ARM AND DISARM	Factory Remote Only	
TACHOMETER WIRE	NOT PINK or BLACK	Any Ignition Coil Or Fuel Injector
BRAKE WIRE (+)	LT.BLUE	At Brake Pedal Switch
HORN TRIGGER (-)	GREEN Or BLACK	Gray Plug At BCM In Passenger Kick Panel
LEFT FRONT WINDOW UP	DK.BLUE	At Switch Inside Respective Door
LEFT FRONT WINDOW DOWN	BROWN	At Switch Inside Respective Door
RIGHT FRONT WINDOW UP	DK.BLUE	At Switch Inside Respective Door
RIGHT FRONT WINDOW DOWN	BROWN	At Switch Inside Respective Door
LEFT REAR WINDOW UP	DK.BLUE	At Switch Inside Respective Door
LEFT REAR WINDOW DOWN	BROWN	At Switch Inside Respective Door
RIGHT REAR WINDOW UP	DK.BLUE	At Switch Inside Respective Door
RIGHT REAR WINDOW DOWN	BROWN	At Switch Inside Respective Door

INTERFACE	PART NUMBER	NOTES
Passlock II Bypass Module	DEI 556LW or DEI 555LW	Required when installing a remote start system. Refer to TechDoc 3741.

Please verify all part numbers before ordering.

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V CONSTANT WIRE	ORANGE	Radio Harness	
RADIO SWITCHED WIRE			The radio harness does not provide a switched power source
RADIO GROUND WIRE	BLACK/WHITE	Radio Harness	
AMP TURN-ON WIRE (+)	PINK	Radio Harness	
LEFT FRONT SPEAKER (+)	TAN	Left Front Speaker	
LEFT FRONT SPEAKER (-)	GRAY	Left Front Speaker	
LEFT FRONT TWEETER (+)	BLACK	Left Front Speaker	
LEFT FRONT TWEETER (-)	YELLOW	Left Front Speaker	
RIGHT FRONT SPEAKER (+)	LT.GREEN	Right Front Speaker	
RIGHT FRONT SPEAKER (-)	DK.GREEN	Right Front Speaker	
RIGHT FRONT TWEETER (+)	LT.GREEN	Left Front Speaker	
RIGHT FRONT TWEETER (-)	PURPLE	Left Front Speaker	
LEFT REAR SPEAKER (+)	BROWN	Left Rear Speaker	
LEFT REAR SPEAKER (-)	YELLOW	Left Rear Speaker	
RIGHT REAR SPEAKER (+)	DK.BLUE	Right Rear Speaker	
RIGHT REAR SPEAKER (-)	LT.BLUE	Right Rear Speaker	
LEFT SUBWOOFER (+)	DK.BLUE/WITE	Left Subwoofer	
LEFT SUBWOOFER (-)	LT.GREEN/BLACK	Left Subwoofer	
RIGHT SUBWOOFER (+)	DK.GREEN	Right Subwoofer	
RIGHT SUBWOOFER (-)	LT.BLUE/BLACK	Right Subwoofer	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5", 1" Tweeter	6.5"	Behind trim near subwoofer	If equipped with Monsoon, subwoofer is 10"
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-3304 SCOSCHE GM1594B		METRA GMOS-01, SCOSCHE DCGM09	METRA 40-GM10, SCOSCHE MDA-1B
Please verify all part numbers before ordering.			

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	Must go to battery for 12V	Battery
STARTER WIRE	PURPLE (Not For Remote Start)	At Fuse Box In Engine Bay
IGNITION WIRE	WHITE/GREEN or DK.BLUE	Ignition Harness
ACCESSORY WIRE	WHITE/RED or BROWN	Ignition Harness
POWER DOOR LOCK (-)	LT.BLUE	Harness In Driver's Kick Panel Or Black Plug At BCM In Passenger Kick Panel
POWER DOOR UNLOCK (-)	DK.BLUE	Harness In Driver's Kick Panel Or Black Plug At BCM In Passenger Kick Panel
<b>Notes:</b> The WHITE wire in the black plug at the BCM in the passenger kick panel will unlock only the driver's door.		
PARKING LIGHTS (+)	BROWN	Black Plug At BCM In Passenger Kick Panel
PARKING LIGHTS (-)	BROWN/WHITE	Gray Plug At BCM In Passenger Kick Panel
LEFT FRONT DOOR TRIGGER (-)	GRAY/BLACK	Black Plug At BCM In Passenger Kick Panel
RIGHT FRONT DOOR TRIGGER (-)	LT.GREEN/BLACK	Black Plug At BCM In Passenger Kick Panel
LEFT REAR DOOR TRIGGER (-)	LT.BLUE/BLACK	Black Plug At BCM In Passenger Kick Panel
RIGHT REAR DOOR TRIGGER (-)	BLACK/WHITE	Black Plug At BCM In Passenger Kick Panel
DOMELIGHT SUPERVISION (-)	WHITE	Black Plug At BCM In Passenger Kick Panel
FACTORY ALARM ARM AND DISARM	Factory Remote Only	
TACHOMETER WIRE	NOT PINK or BLACK	Any Ignition Coil Or Fuel Injector
BRAKE WIRE (+)	LT.BLUE	At Brake Pedal Switch
HORN TRIGGER (-)	GREEN Or BLACK	Gray Plug At BCM In Passenger Kick Panel
LEFT FRONT WINDOW UP	DK.BLUE	At Switch Inside Respective Door
LEFT FRONT WINDOW DOWN	BROWN	At Switch Inside Respective Door
RIGHT FRONT WINDOW UP	DK.BLUE	At Switch Inside Respective Door
RIGHT FRONT WINDOW DOWN	BROWN	At Switch Inside Respective Door
LEFT REAR WINDOW UP	DK.BLUE	At Switch Inside Respective Door
LEFT REAR WINDOW DOWN	BROWN	At Switch Inside Respective Door
RIGHT REAR WINDOW UP	DK.BLUE	At Switch Inside Respective Door
RIGHT REAR WINDOW DOWN	BROWN	At Switch Inside Respective Door

INTERFACE	PART NUMBER	NOTES
Passlock II Bypass Module	DEI 556LW or DEI 555LW	Required when installing a remote start system. Refer to TechDoc 3741.

Please verify all part numbers before ordering.

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V CONSTANT WIRE	ORANGE	Radio Harness	
RADIO SWITCHED WIRE	The radio harness does not provide a switched power source		The radio harness does not supply a switched power source
RADIO GROUND WIRE	BLACK/WHITE	Radio Harness	
AMP TURN-ON WIRE (+)	PINK	Radio Harness	
LEFT FRONT SPEAKER (+)	TAN	Left Front Speaker	
LEFT FRONT SPEAKER (-)	GRAY	Left Front Speaker	
LEFT FRONT TWEETER (+)	BLACK	Left Front Speaker	
LEFT FRONT TWEETER (-)	YELLOW	Left Front Speaker	
RIGHT FRONT SPEAKER (+)	LT.GREEN	Right Front Speaker	
RIGHT FRONT SPEAKER (-)	DK.GREEN	Right Front Speaker	
RIGHT FRONT TWEETER (+)	LT.GREEN	Left Front Speaker	
RIGHT FRONT TWEETER (-)	PURPLE	Left Front Speaker	
LEFT REAR SPEAKER (+)	BROWN	Left Rear Speaker	
LEFT REAR SPEAKER (-)	YELLOW	Left Rear Speaker	
RIGHT REAR SPEAKER (+)	DK.BLUE	Right Rear Speaker	
RIGHT REAR SPEAKER (-)	LT.BLUE	Right Rear Speaker	
LEFT SUBWOOFER (+)	DK.BLUE/WITE	Left Subwoofer	
LEFT SUBWOOFER (-)	LT.GREEN/BLACK	Left Subwoofer	
RIGHT SUBWOOFER (+)	DK.GREEN	Right Subwoofer	
RIGHT SUBWOOFER (-)	LT.BLUE/BLACK	Right Subwoofer	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5", 1" Tweeter	6.5"	Behind trim near subwoofer	If equipped with Monsoon, subwoofer is 10"
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-3304 SCOSCHE GM1594B		METRA GMOS-01, SCOSCHE DCGM09	METRA 40-GM10, SCOSCHE MDA-1B
Please verify all part numbers before ordering.			

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	Must go to battery for 12V	Battery
STARTER WIRE	PURPLE (Not For Remote Start)	At Fuse Box In Engine Bay
IGNITION WIRE	WHITE/GREEN or DK.BLUE	Ignition Harness
ACCESSORY WIRE	WHITE/RED or BROWN	Ignition Harness
POWER DOOR LOCK (-)	LT.BLUE	Harness In Driver's Kick Panel Or Black Plug At BCM In Passenger Kick Panel
POWER DOOR UNLOCK (-)	DK.BLUE	Harness In Driver's Kick Panel Or Black Plug At BCM In Passenger Kick Panel
<b>Notes:</b> The WHITE wire in the black plug at the BCM in the passenger kick panel will unlock only the driver's door.		
PARKING LIGHTS (+)	BROWN	Black Plug At BCM In Passenger Kick Panel
PARKING LIGHTS (-)	BROWN/WHITE	Gray Plug At BCM In Passenger Kick Panel
LEFT FRONT DOOR TRIGGER (-)	GRAY/BLACK	Black Plug At BCM In Passenger Kick Panel
RIGHT FRONT DOOR TRIGGER (-)	LT.GREEN/BLACK	Black Plug At BCM In Passenger Kick Panel
LEFT REAR DOOR TRIGGER (-)	LT.BLUE/BLACK	Black Plug At BCM In Passenger Kick Panel
RIGHT REAR DOOR TRIGGER (-)	BLACK/WHITE	Black Plug At BCM In Passenger Kick Panel
DOMELIGHT SUPERVISION (-)	WHITE	Black Plug At BCM In Passenger Kick Panel
FACTORY ALARM ARM AND DISARM	Factory Remote Only	
TACHOMETER WIRE	NOT PINK or BLACK	Any Ignition Coil Or Fuel Injector
BRAKE WIRE (+)	LT.BLUE	At Brake Pedal Switch
HORN TRIGGER (-)	GREEN Or BLACK	Gray Plug At BCM In Passenger Kick Panel
LEFT FRONT WINDOW UP	DK.BLUE	At Switch Inside Respective Door
LEFT FRONT WINDOW DOWN	BROWN	At Switch Inside Respective Door
RIGHT FRONT WINDOW UP	DK.BLUE	At Switch Inside Respective Door
RIGHT FRONT WINDOW DOWN	BROWN	At Switch Inside Respective Door
LEFT REAR WINDOW UP	DK.BLUE	At Switch Inside Respective Door
LEFT REAR WINDOW DOWN	BROWN	At Switch Inside Respective Door
RIGHT REAR WINDOW UP	DK.BLUE	At Switch Inside Respective Door
RIGHT REAR WINDOW DOWN	BROWN	At Switch Inside Respective Door

INTERFACE	PART NUMBER	NOTES
Passlock II Bypass Module	DEI 556LW or DEI 555LW	Required when installing a remote start system. Refer to TechDoc 3741.

Please verify all part numbers before ordering.

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V CONSTANT WIRE	ORANGE	Radio Harness	
RADIO SWITCHED WIRE	The radio harness does not provide a switched power source		The radio harness does not provide a switched power source
RADIO GROUND WIRE	BLACK/WHITE	Radio Harness	
AMP TURN-ON WIRE (+)	PINK	Radio Harness	
LEFT FRONT SPEAKER (+)	TAN	Left Front Speaker	
LEFT FRONT SPEAKER (-)	GRAY	Left Front Speaker	
LEFT FRONT TWEETER (+)	BLACK	Left Front Speaker	
LEFT FRONT TWEETER (-)	YELLOW	Left Front Speaker	
RIGHT FRONT SPEAKER (+)	LT.GREEN	Right Front Speaker	
RIGHT FRONT SPEAKER (-)	DK.GREEN	Right Front Speaker	
RIGHT FRONT TWEETER (+)	LT.GREEN	Left Front Speaker	
RIGHT FRONT TWEETER (-)	PURPLE	Left Front Speaker	
LEFT REAR SPEAKER (+)	BROWN	Left Rear Speaker	
LEFT REAR SPEAKER (-)	YELLOW	Left Rear Speaker	
RIGHT REAR SPEAKER (+)	DK.BLUE	Right Rear Speaker	
RIGHT REAR SPEAKER (-)	LT.BLUE	Right Rear Speaker	
LEFT SUBWOOFER (+)	DK.BLUE/WITE	Left Subwoofer	
LEFT SUBWOOFER (-)	LT.GREEN/BLACK	Left Subwoofer	
RIGHT SUBWOOFER (+)	DK.GREEN	Right Subwoofer	
RIGHT SUBWOOFER (-)	LT.BLUE/BLACK	Right Subwoofer	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5", 1" Tweeter	6.5"	Behind trim near subwoofer	If equipped with Monsoon, subwoofer is 10"
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-3304 SCOSCHE GM1594B		METRA GMOS-01, SCOSCHE DCGM09	METRA 40-GM10, SCOSCHE MDA-1B
Please verify all part numbers before ordering.			

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.