

ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	WHITE/BLUE	Ignition Harness
STARTER WIRE 1	WHITE/RED	Ignition Harness
STARTER WIRE 2	WHITE/GREEN	Ignition Harness
IGNITION WIRE 1	BLACK/RED	Ignition Harness
ACCESSORY WIRE 1	WHITE/BLACK	Ignition Harness
FACTRY ALARM ARM	Arms With Lock	
FACTRY ALARM DISARM	Disarms With Unlock	
DISARM NO UNLOCK	Single Pulse On The Unlock Wire Will Disarm The Alarm Without Unlocking The Doors	
TACHOMETER WIRE	ANY WIRE NOT BLACK OR WHITE/BLUE	At Ignition Coil
BRAKE WIRE (+)	PINK/BLUE	At Brake Pedal Switch
HORN TRIGGER (-)	GREEN/BLACK	Harness At Steering Column
POWER DOOR LOCK (-)	RED/WHITE	At Door Lock Switch In Driver's Door
Notes: Test door lock wires while turning the key in the driver's door. Unlock requires a double pulse.		
POWER DOOR UNLOCK (-)	BLUE/WHITE	At Door Lock Switch In Driver's Door
Notes: Extended triggers on the power door lock wires will operate the power windows.		
TRUNK RELEASE (-)	BLUE	Brown Connector At Body Control Module In Driver's Kick Panel
PARKING LIGHTS (+)	RED/BLUE	Harness In Driver Kick Panel
DOOR TRIGGER (-)	WHITE	At Body Control Module In Driver's Kick Panel
PASSENGER DOORS TRIGGER (-)	RED/BLUE	At Body Control Module In Driver's Kick Panel
REAR DOOR TRIGGER (-)	On vehicles without navigation, rear door trigger is PINK. On vehicles with navigation system the rear door trigger wire does not go to the Body Control Module, instead use 2 separate PINK wires found in the driver kick panel in the harness that runs to t	At Body Control Module In Driver's Kick Panel
DOMESUPERVISION	USE DOOR TRIGGER	
TRUNK TRIGGER (-)	RED/WHITE	White Connector At Body Control Module In Driver's Kick Panel
HOOD TRIGGER (-)	LT GREEN/BLACK	Pin Switch Under Hood

INTERFACE	PART NUMBER	NOTES
Transponder Immobilizer Bypass Module	DEI 556UW	Required when installing a remote start system
Please verify all part numbers before ordering.		

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V	YELLOW	At Radio Harness	
12V SWITCHED	LT.GREEN	At Radio Harness	
RADIO GROUND			Grounds to radio bracket
AMP TURN ON (+)	GREEN/YELLOW	At Radio Harness	
LEFT FRONT SPEAKER (+)	WHITE	At Factory Amplifier Located In Trunk on Driver Side	
LEFT FRONT SPEAKER (-)	BLACK	At Factory Amplifier Located In Trunk on Driver Side	
RIGHT FRONT SPEAKER (+)	GREEN	At Factory Amplifier Located In Trunk on Driver Side	
RIGHT FRONT SPEAKER (-)	RED	At Factory Amplifier Located In Trunk on Driver Side	
LEFT REAR SPEAKER (+)	BROWN	At Factory Amplifier Located In Trunk on Driver Side	
LEFT REAR SPEAKER (-)	YELLOW	At Factory Amplifier Located In Trunk on Driver Side	
RIGHT REAR SPEAKER (+)	BLUE	At Factory Amplifier Located In Trunk on Driver Side	
RIGHT REAR SPEAKER (-)	PINK	At Factory Amplifier Located In Trunk on Driver Side	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
5.25"	5.25", 8"		

RADIO DASH KIT OPTIONS	RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-7604, SCOSCHE II1652	METRA 70-7551, SCOSCHE NN03B	METRA 40-NI10, SCOSCHE NDAB
Notes: SCOSCHE dash kit comes in different colors: Gun Metal Gray: II1652GMB, Pewter: II1652PB, Charcoal Gray: II1652CHB		
Please verify all part numbers before ordering.		

ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	WHITE/BLUE	Ignition Harness
STARTER WIRE 1	WHITE/RED	Ignition Harness
STARTER WIRE 2	WHITE/GREEN	Ignition Harness
IGNITION WIRE 1	BLACK/RED	Ignition Harness
ACCESSORY WIRE 1	WHITE/BLACK	Ignition Harness
FACTRY ALARM ARM	Arms With Lock	
FACTRY ALARM DISARM	Disarms With Unlock	
DISARM NO UNLOCK	Single Pulse On The Unlock Wire Will Disarm The Alarm Without Unlocking The Doors	
TACHOMETER WIRE	ANY WIRE NOT BLACK OR WHITE/BLUE	At Ignition Coil
BRAKE WIRE (+)	PINK/BLUE	At Brake Pedal Switch
HORN TRIGGER (-)	GREEN/BLACK	Harness At Steering Column
POWER DOOR LOCK (-)	RED/WHITE	At Door Lock Switch In Driver's Door
Notes: Test door lock wires while turning the key in the driver's door. Unlock requires a double pulse.		
POWER DOOR UNLOCK (-)	BLUE/WHITE	At Door Lock Switch In Driver's Door
Notes: Extended triggers on the power door lock wires will operate the power windows.		
TRUNK RELEASE (-)	BLUE	Brown Connector At Body Control Module In Driver's Kick Panel
PARKING LIGHTS (+)	RED/BLUE	Harness In Driver Kick Panel
DOOR TRIGGER (-)	WHITE	At Body Control Module In Driver's Kick Panel
PASSENGER DOORS TRIGGER (-)	RED/BLUE	At Body Control Module In Driver's Kick Panel
REAR DOOR TRIGGER (-)	On vehicles without navigation, rear door trigger is PINK. On vehicles with navigation system the rear door trigger wire does not go to the Body Control Module, instead use 2 separate PINK wires found in the driver kick panel in the harness that runs to t	At Body Control Module In Driver's Kick Panel
DOMESUPERVISION	USE DOOR TRIGGER	
TRUNK TRIGGER (-)	RED/WHITE	White Connector At Body Control Module In Driver's Kick Panel
HOOD TRIGGER (-)	LT GREEN/BLACK	Pin Switch Under Hood

INTERFACE	PART NUMBER	NOTES
Transponder Immobilizer Bypass Module	DEI 556UW	Required when installing a remote start system
Please verify all part numbers before ordering.		

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V	YELLOW	At Radio Harness	
12V SWITCHED	LT.GREEN	At Radio Harness	
RADIO GROUND			Grounds to radio bracket
AMP TURN ON (+)	GREEN/YELLOW	At Radio Harness	
LEFT FRONT SPEAKER (+)	WHITE	At Factory Amplifier Located In Trunk on Driver Side	
LEFT FRONT SPEAKER (-)	BLACK	At Factory Amplifier Located In Trunk on Driver Side	
RIGHT FRONT SPEAKER (+)	GREEN	At Factory Amplifier Located In Trunk on Driver Side	
RIGHT FRONT SPEAKER (-)	RED	At Factory Amplifier Located In Trunk on Driver Side	
LEFT REAR SPEAKER (+)	BROWN	At Factory Amplifier Located In Trunk on Driver Side	
LEFT REAR SPEAKER (-)	YELLOW	At Factory Amplifier Located In Trunk on Driver Side	
RIGHT REAR SPEAKER (+)	BLUE	At Factory Amplifier Located In Trunk on Driver Side	
RIGHT REAR SPEAKER (-)	PINK	At Factory Amplifier Located In Trunk on Driver Side	

FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
5.25"	5.25", 8"		

RADIO DASH KIT OPTIONS	RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-7604, SCOSCHE II1652	METRA 70-7551, SCOSCHE NN03B	METRA 40-NI10, SCOSCHE NDAB
Notes: SCOSCHE dash kit comes in different colors: Gun Metal Gray: II1652GMB, Pewter: II1652PB, Charcoal Gray: II1652CHB		
Please verify all part numbers before ordering.		

ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	WHITE/BLUE	Ignition Harness
STARTER WIRE 1	WHITE/RED	Ignition Harness
STARTER WIRE 2	WHITE/GREEN	Ignition Harness
IGNITION WIRE 1	BLACK/RED	Ignition Harness
ACCESSORY WIRE 1	WHITE/BLACK	Ignition Harness
FACTRY ALARM ARM	Arms With Lock	
FACTRY ALARM DISARM	Disarms With Unlock	
DISARM NO UNLOCK	Single Pulse On The Unlock Wire Will Disarm The Alarm Without Unlocking The Doors	
TACHOMETER WIRE	ANY WIRE NOT BLACK OR WHITE/BLUE	At Ignition Coil
BRAKE WIRE (+)	PINK/BLUE	At Brake Pedal Switch
HORN TRIGGER (-)	GREEN/BLACK	Harness At Steering Column
POWER DOOR LOCK (-)	RED/WHITE	At Door Lock Switch In Driver's Door
Notes: Test door lock wires while turning the key in the driver's door. Unlock requires a double pulse.		
POWER DOOR UNLOCK (-)	BLUE/WHITE	At Door Lock Switch In Driver's Door
Notes: Extended triggers on the power door lock wires will operate the power windows.		
TRUNK RELEASE (-)	BLUE	Brown Connector At Body Control Module In Driver's Kick Panel
PARKING LIGHTS (+)	RED/BLUE	Harness In Driver Kick Panel
DOOR TRIGGER (-)	WHITE	At Body Control Module In Driver's Kick Panel
PASSENGER DOORS TRIGGER (-)	RED/BLUE	At Body Control Module In Driver's Kick Panel
REAR DOOR TRIGGER (-)	On vehicles without navigation, rear door trigger is PINK. On vehicles with navigation system the rear door trigger wire does not go to the Body Control Module, instead use 2 separate PINK wires found in the driver kick panel in the harness that runs to t	At Body Control Module In Driver's Kick Panel
DOMESUPERVISION	USE DOOR TRIGGER	
TRUNK TRIGGER (-)	RED/WHITE	White Connector At Body Control Module In Driver's Kick Panel
HOOD TRIGGER (-)	LT GREEN/BLACK	Pin Switch Under Hood

INTERFACE	PART NUMBER	NOTES
Transponder Immobilizer Bypass Module	DEI 556UW	Required when installing a remote start system
Please verify all part numbers before ordering.		

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V	YELLOW	At Radio Harness	
12V SWITCHED	LT.GREEN	At Radio Harness	
RADIO GROUND			Grounds to radio bracket
AMP TURN ON (+)	GREEN/YELLOW	At Radio Harness	
LEFT FRONT SPEAKER (+)	WHITE	At Factory Amplifier Located In Trunk on Driver Side	
LEFT FRONT SPEAKER (-)	BLACK	At Factory Amplifier Located In Trunk on Driver Side	
RIGHT FRONT SPEAKER (+)	GREEN	At Factory Amplifier Located In Trunk on Driver Side	
RIGHT FRONT SPEAKER (-)	RED	At Factory Amplifier Located In Trunk on Driver Side	
LEFT REAR SPEAKER (+)	BROWN	At Factory Amplifier Located In Trunk on Driver Side	
LEFT REAR SPEAKER (-)	YELLOW	At Factory Amplifier Located In Trunk on Driver Side	
RIGHT REAR SPEAKER (+)	BLUE	At Factory Amplifier Located In Trunk on Driver Side	
RIGHT REAR SPEAKER (-)	PINK	At Factory Amplifier Located In Trunk on Driver Side	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	6.5"		If equipped, subwoofer is 8"
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-7605, SCOSCHE II1650B		METRA 70-7551, SCOSCHE NN03B	METRA 40-NI10, SCOSCHE NDAB
Please verify all part numbers before ordering.			

ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	WHITE/BLUE	Ignition Harness
STARTER WIRE 1	WHITE/RED	Ignition Harness
STARTER WIRE 2	WHITE/GREEN	Ignition Harness
IGNITION WIRE 1	BLACK/RED	Ignition Harness
ACCESSORY WIRE 1	WHITE/BLACK	Ignition Harness
FACTRY ALARM ARM	Arms With Lock	
FACTRY ALARM DISARM	Disarms With Unlock	
DISARM NO UNLOCK	Single Pulse On The Unlock Wire Will Disarm The Alarm Without Unlocking The Doors	
TACHOMETER WIRE	ANY WIRE NOT BLACK OR WHITE/BLUE	At Ignition Coil
BRAKE WIRE (+)	PINK/BLUE	At Brake Pedal Switch
HORN TRIGGER (-)	GREEN/BLACK	Harness At Steering Column
POWER DOOR LOCK (-)	RED/WHITE	At Door Lock Switch In Driver's Door
Notes: Test door lock wires while turning the key in the driver's door. Unlock requires a double pulse.		
POWER DOOR UNLOCK (-)	BLUE/WHITE	At Door Lock Switch In Driver's Door
Notes: Extended triggers on the power door lock wires will operate the power windows.		
TRUNK RELEASE (-)	BLUE	Brown Connector At Body Control Module In Driver's Kick Panel
PARKING LIGHTS (+)	RED/BLUE	Harness In Driver Kick Panel
DOOR TRIGGER (-)	WHITE	At Body Control Module In Driver's Kick Panel
PASSENGER DOORS TRIGGER (-)	RED/BLUE	At Body Control Module In Driver's Kick Panel
REAR DOOR TRIGGER (-)	On vehicles without navigation, rear door trigger is PINK. On vehicles with navigation system the rear door trigger wire does not go to the Body Control Module, instead use 2 separate PINK wires found in the driver kick panel in the harness that runs to t	At Body Control Module In Driver's Kick Panel
DOMESUPERVISION	USE DOOR TRIGGER	
TRUNK TRIGGER (-)	RED/WHITE	White Connector At Body Control Module In Driver's Kick Panel
HOOD TRIGGER (-)	LT GREEN/BLACK	Pin Switch Under Hood

INTERFACE	PART NUMBER	NOTES
Transponder Immobilizer Bypass Module	DEI 556UW	Required when installing a remote start system
Please verify all part numbers before ordering.		

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V	YELLOW	At Radio Harness	
12V SWITCHED	LT.GREEN	At Radio Harness	
RADIO GROUND			Grounds to radio bracket
AMP TURN ON (+)	GREEN/YELLOW	At Radio Harness	
LEFT FRONT SPEAKER (+)	WHITE	At Factory Amplifier Located In Trunk on Driver Side	
LEFT FRONT SPEAKER (-)	BLACK	At Factory Amplifier Located In Trunk on Driver Side	
RIGHT FRONT SPEAKER (+)	GREEN	At Factory Amplifier Located In Trunk on Driver Side	
RIGHT FRONT SPEAKER (-)	RED	At Factory Amplifier Located In Trunk on Driver Side	
LEFT REAR SPEAKER (+)	BROWN	At Factory Amplifier Located In Trunk on Driver Side	
LEFT REAR SPEAKER (-)	YELLOW	At Factory Amplifier Located In Trunk on Driver Side	
RIGHT REAR SPEAKER (+)	BLUE	At Factory Amplifier Located In Trunk on Driver Side	
RIGHT REAR SPEAKER (-)	PINK	At Factory Amplifier Located In Trunk on Driver Side	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	6.5"		If equipped, subwoofer is 8"
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-7605, SCOSCHE II1650B		METRA 70-7551, SCOSCHE NN03B	METRA 40-NI10, SCOSCHE NDAB
Please verify all part numbers before ordering.			

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.