

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	BLACK/RED	Ignition Harness
STARTER WIRE	BLACK/WHITE	Ignition Harness
IGNITION WIRE	BLACK	Ignition Harness
SECOND IGNITION WIRE	RED/WHITE	Ignition Harness
ACCESSORY WIRE	WHITE/GREEN	Ignition Harness
POWER DOOR LOCK (-)	RED/BLACK	At Module Inside Driver Door
POWER DOOR UNLOCK (-)	BLACK/GREEN	At Module Inside Driver Door
<b>Notes:</b> Unlock requires a double pulse		
PARKING LIGHTS (+)	DO NOT USE	
PARKING LIGHTS (-)	ORANGE (Hazard Lights)	At Hazard Light Switch Or Harness In Driver Side Fuse Box
DOOR TRIGGER (-)	PURPLE/WHITE	At Ignition Key Cylinder Light
TRUNK TRIGGER (-)	BLUE	At Trunk Pin Switch
TRUNK RELEASE (-)	PURPLE	At Trunk Release Switch
FACTORY ALARM ARM (-)	Arms with lock	
FACTORY ALARM DISARM (-)	Disarms with unlock	
DISARM NO UNLOCK (-)	GREEN/RED	At Trunk Key Cylinder
TACHOMETER WIRE	BLACK/YELLOW	At Data Link Connector Under Steering Column
BRAKE WIRE (+)	GREEN/ORANGE	At Brake Pedal Switch
HORN TRIGGER (5-wire)	BLACK & GREEN/WHITE	At Horns
LEFT FRONT WINDOW UP	RED	At Motor Inside Door
LEFT FRONT WINDOW DOWN	GREEN	At Motor Inside Door
RIGHT FRONT WINDOW UP	RED	At Motor Inside Door
RIGHT FRONT WINDOW DOWN	GREEN	At Motor Inside Door
LEFT REAR WINDOW UP	RED	At Motor Inside Door
LEFT REAR WINDOW DOWN	GREEN	At Motor Inside Door
RIGHT REAR WINDOW UP	RED	At Motor Inside Door
RIGHT REAR WINDOW DOWN	GREEN	At Motor Inside Door

INTERFACE	PART NUMBER	NOTES
Transponder Immobilizer Bypass Module	DEI 555XW or DEI 556UW	Required when installing a remote start system

Please verify all part numbers before ordering.

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V	BLUE/YELLOW	Radio	
RADIO SWITCHED	GRAY	Radio	
RADIO GROUND	BROWN	Radio	
ILLUMINATION (+)	GREEN	Radio	
POWER ANTENNA (+)	BLACK/RED	Radio	
AMP TURN ON (+)	PINK/BLUE	Radio	
LEFT FRONT SPEAKER(+)	PINK	At Speaker Or At Amp In Trunk – Passenger Side	
LEFT FRONT SPEAKER (-)	VIOLET	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT FRONT SPEAKER (+)	GREEN	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT FRONT SPEAKER (-)	BLUE	At Speaker Or At Amp In Trunk – Passenger Side	
LEFT REAR SPEAKER (+)	BLACK	At Speaker Or At Amp In Trunk – Passenger Side	
LEFT REAR SPEAKER (-)	YELLOW	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT REAR SPEAKER (+)	RED	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT REAR SPEAKER (-)	WHITE	At Speaker Or At Amp In Trunk – Passenger Side	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	6.5"		8" subwoofer
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
None available		None available	METRA 40-LX10
Please verify all part numbers before ordering.			

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	BLACK/RED	Ignition Harness
STARTER WIRE	BLACK/WHITE	Ignition Harness
IGNITION WIRE	BLACK	Ignition Harness
SECOND IGNITION WIRE	RED/WHITE	Ignition Harness
ACCESSORY WIRE	WHITE/GREEN	Ignition Harness
POWER DOOR LOCK (-)	RED/BLACK	At Module Inside Driver Door
POWER DOOR UNLOCK (-)	BLACK/GREEN	At Module Inside Driver Door
<b>Notes:</b> Unlock requires a double pulse		
PARKING LIGHTS (+)	DO NOT USE	
PARKING LIGHTS (-)	ORANGE (Hazard Lights)	At Hazard Light Switch Or Harness In Driver Side Fuse Box
DOOR TRIGGER (-)	PURPLE/WHITE	At Ignition Key Cylinder Light
TRUNK TRIGGER (-)	BLUE	At Trunk Pin Switch
TRUNK RELEASE (-)	PURPLE	At Trunk Release Switch
FACTORY ALARM ARM (-)	Arms with lock	
FACTORY ALARM DISARM (-)	Disarms with unlock	
DISARM NO UNLOCK (-)	GREEN/RED	At Trunk Key Cylinder
TACHOMETER WIRE	BLACK/YELLOW	At Data Link Connector Under Steering Column
BRAKE WIRE (+)	GREEN/ORANGE	At Brake Pedal Switch
HORN TRIGGER (5-wire)	BLACK & GREEN/WHITE	At Horns
LEFT FRONT WINDOW UP	RED	At Motor Inside Door
LEFT FRONT WINDOW DOWN	GREEN	At Motor Inside Door
RIGHT FRONT WINDOW UP	RED	At Motor Inside Door
RIGHT FRONT WINDOW DOWN	GREEN	At Motor Inside Door
LEFT REAR WINDOW UP	RED	At Motor Inside Door
LEFT REAR WINDOW DOWN	GREEN	At Motor Inside Door
RIGHT REAR WINDOW UP	RED	At Motor Inside Door
RIGHT REAR WINDOW DOWN	GREEN	At Motor Inside Door

INTERFACE	PART NUMBER	NOTES
Transponder Immobilizer Bypass Module	DEI 555XW or DEI 556UW	Required when installing a remote start system
Please verify all part numbers before ordering.		

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V	BLUE/YELLOW	Radio	
RADIO SWITCHED	GRAY	Radio	
RADIO GROUND	BROWN	Radio	
ILLUMINATION (+)	GREEN	Radio	
POWER ANTENNA (+)	BLACK/RED	Radio	
AMP TURN ON (+)	PINK/BLUE	Radio	
LEFT FRONT SPEAKER(+)	PINK	At Speaker Or At Amp In Trunk – Passenger Side	
LEFT FRONT SPEAKER (-)	VIOLET	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT FRONT SPEAKER (+)	GREEN	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT FRONT SPEAKER (-)	BLUE	At Speaker Or At Amp In Trunk – Passenger Side	
LEFT REAR SPEAKER (+)	BLACK	At Speaker Or At Amp In Trunk – Passenger Side	
LEFT REAR SPEAKER (-)	YELLOW	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT REAR SPEAKER (+)	RED	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT REAR SPEAKER (-)	WHITE	At Speaker Or At Amp In Trunk – Passenger Side	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	6.5"		8" subwoofer
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
None available		None available	METRA 40-LX10
Please verify all part numbers before ordering.			

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	BLACK/RED	Ignition Harness
STARTER WIRE	BLACK/WHITE	Ignition Harness
IGNITION WIRE	BLACK	Ignition Harness
SECOND IGNITION WIRE	RED/WHITE	Ignition Harness
ACCESSORY WIRE	WHITE/GREEN	Ignition Harness
POWER DOOR LOCK (-)	RED/BLACK	At Module Inside Driver Door
POWER DOOR UNLOCK (-)	BLACK/GREEN	At Module Inside Driver Door
<b>Notes:</b> Unlock requires a double pulse		
PARKING LIGHTS (+)	DO NOT USE	
PARKING LIGHTS (-)	ORANGE (Hazard Lights)	At Hazard Light Switch Or Harness In Driver Side Fuse Box
DOOR TRIGGER (-)	PURPLE/WHITE	At Ignition Key Cylinder Light
TRUNK TRIGGER (-)	BLUE	At Trunk Pin Switch
TRUNK RELEASE (-)	PURPLE	At Trunk Release Switch
FACTORY ALARM ARM (-)	Arms with lock	
FACTORY ALARM DISARM (-)	Disarms with unlock	
DISARM NO UNLOCK (-)	GREEN/RED	At Trunk Key Cylinder
TACHOMETER WIRE	BLACK/YELLOW	At Data Link Connector Under Steering Column
BRAKE WIRE (+)	GREEN/ORANGE	At Brake Pedal Switch
HORN TRIGGER (5-wire)	BLACK & GREEN/WHITE	At Horns
LEFT FRONT WINDOW UP	RED	At Motor Inside Door
LEFT FRONT WINDOW DOWN	GREEN	At Motor Inside Door
RIGHT FRONT WINDOW UP	RED	At Motor Inside Door
RIGHT FRONT WINDOW DOWN	GREEN	At Motor Inside Door
LEFT REAR WINDOW UP	RED	At Motor Inside Door
LEFT REAR WINDOW DOWN	GREEN	At Motor Inside Door
RIGHT REAR WINDOW UP	RED	At Motor Inside Door
RIGHT REAR WINDOW DOWN	GREEN	At Motor Inside Door

INTERFACE	PART NUMBER	NOTES
Transponder Immobilizer Bypass Module	DEI 555XW or DEI 556UW	Required when installing a remote start system
Please verify all part numbers before ordering.		

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V	BLUE/YELLOW	Radio	
RADIO SWITCHED	GRAY	Radio	
RADIO GROUND	BROWN	Radio	
ILLUMINATION (+)	GREEN	Radio	
POWER ANTENNA (+)	BLACK/RED	Radio	
AMP TURN ON (+)	PINK/BLUE	Radio	
LEFT FRONT SPEAKER(+)	PINK	At Speaker Or At Amp In Trunk – Passenger Side	
LEFT FRONT SPEAKER (-)	VIOLET	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT FRONT SPEAKER (+)	GREEN	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT FRONT SPEAKER (-)	BLUE	At Speaker Or At Amp In Trunk – Passenger Side	
LEFT REAR SPEAKER (+)	BLACK	At Speaker Or At Amp In Trunk – Passenger Side	
LEFT REAR SPEAKER (-)	YELLOW	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT REAR SPEAKER (+)	RED	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT REAR SPEAKER (-)	WHITE	At Speaker Or At Amp In Trunk – Passenger Side	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	6.5"		8" subwoofer
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
None available		None available	METRA 40-LX10
Please verify all part numbers before ordering.			

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	MUST GO TO BATTERY FOR 12V	Ignition Harness
STARTER WIRE	BLACK/WHITE	Ignition Harness
IGNITION WIRE	GREEN/YELLOW	Ignition Harness
SECOND IGNITION WIRE	RED/WHITE	Ignition Harness
ACCESSORY WIRE	WHITE/GREEN	Ignition Harness
POWER DOOR LOCK (-)	RED/BLACK or PURPLE/RED	At Module Inside Driver Door
POWER DOOR UNLOCK (-)	BLACK/GREEN or PURPLE/GREEN	At Module Inside Driver Door
<b>Notes:</b> Test door lock wires by using key in driver's door. Unlock requires a double pulse		
PARKING LIGHTS (+)	DO NOT USE	
PARKING LIGHTS (-)	ORANGE (Hazard Lights)	At Hazard Light Switch Or Harness In Driver Side Fuse Box
LEFT FRONT DOOR TRIGGER (-)	PINK/GREEN	At Module Inside Left Front Door
RIGHT FRONT DOOR TRIGGER (-)	PINK/GREEN	At Module Inside Right Front Door
LEFT REAR DOOR TRIGGER (-)	BLUE	At Module Inside Left Rear Door
RIGHT REAR DOOR TRIGGER (-)	BLUE	At Module Inside Right Rear Door
DOMELIGHT SUPERVISION (-)	PURPLE/WHITE	At Ignition Key Cylinder Light
TRUNK TRIGGER (-)	GREEN	At Trunk Pin Switch
TRUNK RELEASE (-)	PURPLE	Harness At Driver's Fuse Box
FACTORY ALARM ARM (-)	Arms with lock	
FACTORY ALARM DISARM (-)	Disarms with unlock	
DISARM NO UNLOCK (-)	LT.GREEN/BLACK (Key Sense Wire)	Ignition Harness
TACHOMETER WIRE	BLACK/YELLOW	At Data Link Connector Under Steering Column
BRAKE WIRE (+)	GREEN/ORANGE	At Brake Pedal Switch
HORN TRIGGER (5-wire)	BLACK & GREEN/WHITE	At Horns
LEFT FRONT WINDOW UP	RED/GREEN	At Motor Inside Door
LEFT FRONT WINDOW DOWN	GREEN	At Motor Inside Door
RIGHT FRONT WINDOW UP	RED/GREEN	At Motor Inside Door
RIGHT FRONT WINDOW DOWN	GREEN	At Motor Inside Door
LEFT REAR WINDOW UP	RED	At Motor Inside Door
LEFT REAR WINDOW DOWN	GREEN	At Motor Inside Door
RIGHT REAR WINDOW UP	RED	At Motor Inside Door
RIGHT REAR WINDOW DOWN	GREEN	At Motor Inside Door

INTERFACE	PART NUMBER	NOTES
Transponder Immobilizer Bypass Module	DEI 555XW or DEI 556UW	Required when installing a remote start system

Please verify all part numbers before ordering.

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V	RED	Radio Harness	
RADIO SWITCHED	GRAY	Radio Harness	
RADIO GROUND	BROWN	Radio Harness	
ILLUMINATION (+)	GREEN	Radio Harness	
POWER ANTENNA (+)	BLACK	Radio Harness	
AMP TURN ON (+)	PINK/BLUE	Radio Harness	
LEFT FRONT SPEAKER(+)	BLACK	At Speaker Or At Amp In Trunk – Passenger Side	
LEFT FRONT SPEAKER (-)	WHITE	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT FRONT SPEAKER (+)	WHITE	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT FRONT SPEAKER (-)	RED	At Speaker Or At Amp In Trunk – Passenger Side	
LEFT REAR SPEAKER (+)	RED	At Speaker Or At Amp In Trunk – Passenger Side	
LEFT REAR SPEAKER (-)	GREEN	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT REAR SPEAKER (+)	YELLOW	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT REAR SPEAKER (-)	GREEN	At Speaker Or At Amp In Trunk – Passenger Side	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	6.5"		8" subwoofer
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
None available		None available	METRA 40-LX10
Please verify all part numbers before ordering.			

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	MUST GO TO BATTERY FOR 12V	Ignition Harness
STARTER WIRE	BLACK/WHITE	Ignition Harness
IGNITION WIRE	GREEN/YELLOW	Ignition Harness
SECOND IGNITION WIRE	RED/WHITE	Ignition Harness
ACCESSORY WIRE	WHITE/GREEN	Ignition Harness
POWER DOOR LOCK (-)	RED/BLACK or PURPLE/RED	At Module Inside Driver Door
POWER DOOR UNLOCK (-)	BLACK/GREEN or PURPLE/GREEN	At Module Inside Driver Door
<b>Notes:</b> Test door lock wires by using key in driver's door. Unlock requires a double pulse		
PARKING LIGHTS (+)	DO NOT USE	
PARKING LIGHTS (-)	ORANGE (Hazard Lights)	At Hazard Light Switch Or Harness In Driver Side Fuse Box
LEFT FRONT DOOR TRIGGER (-)	PINK/GREEN	At Module Inside Left Front Door
RIGHT FRONT DOOR TRIGGER (-)	PINK/GREEN	At Module Inside Right Front Door
LEFT REAR DOOR TRIGGER (-)	BLUE	At Module Inside Left Rear Door
RIGHT REAR DOOR TRIGGER (-)	BLUE	At Module Inside Right Rear Door
DOMELIGHT SUPERVISION (-)	PURPLE/WHITE	At Ignition Key Cylinder Light
TRUNK TRIGGER (-)	GREEN	At Trunk Pin Switch
TRUNK RELEASE (-)	PURPLE	Harness At Driver's Fuse Box
FACTORY ALARM ARM (-)	Arms with lock	
FACTORY ALARM DISARM (-)	Disarms with unlock	
DISARM NO UNLOCK (-)	LT.GREEN/BLACK (Key Sense Wire)	Ignition Harness
TACHOMETER WIRE	BLACK/YELLOW	At Data Link Connector Under Steering Column
BRAKE WIRE (+)	GREEN/ORANGE	At Brake Pedal Switch
HORN TRIGGER (5-wire)	BLACK & GREEN/WHITE	At Horns
LEFT FRONT WINDOW UP	RED/GREEN	At Motor Inside Door
LEFT FRONT WINDOW DOWN	GREEN	At Motor Inside Door
RIGHT FRONT WINDOW UP	RED/GREEN	At Motor Inside Door
RIGHT FRONT WINDOW DOWN	GREEN	At Motor Inside Door
LEFT REAR WINDOW UP	RED	At Motor Inside Door
LEFT REAR WINDOW DOWN	GREEN	At Motor Inside Door
RIGHT REAR WINDOW UP	RED	At Motor Inside Door
RIGHT REAR WINDOW DOWN	GREEN	At Motor Inside Door

INTERFACE	PART NUMBER	NOTES
Transponder Immobilizer Bypass Module	DEI 555XW or DEI 556UW	Required when installing a remote start system

Please verify all part numbers before ordering.

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V	RED	Radio Harness	
RADIO SWITCHED	GRAY	Radio Harness	
RADIO GROUND	BROWN	Radio Harness	
ILLUMINATION (+)	GREEN	Radio Harness	
POWER ANTENNA (+)	BLACK	Radio Harness	
AMP TURN ON (+)	PINK/BLUE	Radio Harness	
LEFT FRONT SPEAKER(+)	BLACK	At Speaker Or At Amp In Trunk – Passenger Side	
LEFT FRONT SPEAKER (-)	WHITE	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT FRONT SPEAKER (+)	WHITE	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT FRONT SPEAKER (-)	RED	At Speaker Or At Amp In Trunk – Passenger Side	
LEFT REAR SPEAKER (+)	RED	At Speaker Or At Amp In Trunk – Passenger Side	
LEFT REAR SPEAKER (-)	GREEN	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT REAR SPEAKER (+)	YELLOW	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT REAR SPEAKER (-)	GREEN	At Speaker Or At Amp In Trunk – Passenger Side	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	6.5"		8" subwoofer
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
None available		None available	METRA 40-LX10
Please verify all part numbers before ordering.			

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	MUST GO TO BATTERY FOR 12V	Ignition Harness
STARTER WIRE	BLACK/WHITE	Ignition Harness
IGNITION WIRE	GREEN/YELLOW	Ignition Harness
SECOND IGNITION WIRE	RED/WHITE	Ignition Harness
ACCESSORY WIRE	WHITE/GREEN	Ignition Harness
POWER DOOR LOCK (-)	RED/BLACK or PURPLE/RED	At Module Inside Driver Door
POWER DOOR UNLOCK (-)	BLACK/GREEN or PURPLE/GREEN	At Module Inside Driver Door
<b>Notes:</b> Test door lock wires by using key in driver's door. Unlock requires a double pulse		
PARKING LIGHTS (+)	DO NOT USE	
PARKING LIGHTS (-)	ORANGE (Hazard Lights)	At Hazard Light Switch Or Harness In Driver Side Fuse Box
LEFT FRONT DOOR TRIGGER (-)	PINK/GREEN	At Module Inside Left Front Door
RIGHT FRONT DOOR TRIGGER (-)	PINK/GREEN	At Module Inside Right Front Door
LEFT REAR DOOR TRIGGER (-)	BLUE	At Module Inside Left Rear Door
RIGHT REAR DOOR TRIGGER (-)	BLUE	At Module Inside Right Rear Door
DOMELIGHT SUPERVISION (-)	PURPLE/WHITE	At Ignition Key Cylinder Light
TRUNK TRIGGER (-)	GREEN	At Trunk Pin Switch
TRUNK RELEASE (-)	PURPLE	Harness At Driver's Fuse Box
FACTORY ALARM ARM (-)	Arms with lock	
FACTORY ALARM DISARM (-)	Disarms with unlock	
DISARM NO UNLOCK (-)	LT.GREEN/BLACK (Key Sense Wire)	Ignition Harness
TACHOMETER WIRE	BLACK/YELLOW	At Data Link Connector Under Steering Column
BRAKE WIRE (+)	GREEN/ORANGE	At Brake Pedal Switch
HORN TRIGGER (5-wire)	BLACK & GREEN/WHITE	At Horns
LEFT FRONT WINDOW UP	RED/GREEN	At Motor Inside Door
LEFT FRONT WINDOW DOWN	GREEN	At Motor Inside Door
RIGHT FRONT WINDOW UP	RED/GREEN	At Motor Inside Door
RIGHT FRONT WINDOW DOWN	GREEN	At Motor Inside Door
LEFT REAR WINDOW UP	RED	At Motor Inside Door
LEFT REAR WINDOW DOWN	GREEN	At Motor Inside Door
RIGHT REAR WINDOW UP	RED	At Motor Inside Door
RIGHT REAR WINDOW DOWN	GREEN	At Motor Inside Door

INTERFACE	PART NUMBER	NOTES
Transponder Immobilizer Bypass Module	DEI 555XW or DEI 556UW	Required when installing a remote start system

Please verify all part numbers before ordering.

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

AUDIO WIRING			
WIRE	COLOR	LOCATION	NOTES
RADIO 12V	RED	Radio Harness	
RADIO SWITCHED	GRAY	Radio Harness	
RADIO GROUND	BROWN	Radio Harness	
ILLUMINATION (+)	GREEN	Radio Harness	
POWER ANTENNA (+)	BLACK	Radio Harness	
AMP TURN ON (+)	PINK/BLUE	Radio Harness	
LEFT FRONT SPEAKER(+)	BLACK	At Speaker Or At Amp In Trunk – Passenger Side	
LEFT FRONT SPEAKER (-)	WHITE	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT FRONT SPEAKER (+)	WHITE	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT FRONT SPEAKER (-)	RED	At Speaker Or At Amp In Trunk – Passenger Side	
LEFT REAR SPEAKER (+)	RED	At Speaker Or At Amp In Trunk – Passenger Side	
LEFT REAR SPEAKER (-)	GREEN	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT REAR SPEAKER (+)	YELLOW	At Speaker Or At Amp In Trunk – Passenger Side	
RIGHT REAR SPEAKER (-)	GREEN	At Speaker Or At Amp In Trunk – Passenger Side	
FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	6.5"		8" subwoofer
RADIO DASH KIT OPTIONS		RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
None available		None available	METRA 40-LX10
Please verify all part numbers before ordering.			

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.