

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	WHITE and BLACK	Ignition harness
STARTER WIRE	RED	Ignition harness
IGNITION WIRE	BLACK/WHITE	Ignition harness
SECOND IGNITION WIRE	BLACK/YELLOW	Ignition harness
ACCESSORY WIRE	BLUE/RED	Ignition harness
POWER DOOR LOCK (-)	GREEN	Harness In Passenger's Kick Panel
<b>Notes:</b> Test door lock wires using the passenger key cylinder		
POWER DOOR UNLOCK (-)	BLUE/BLACK	Harness In Passenger's Kick Panel
<b>Notes:</b> Test door lock wires using the passenger key cylinder		
PARKING LIGHTS (+)	GREEN	Harness In Driver's Kick Panel
DOOR TRIGGER (-)	RED/YELLOW	Harness In Driver's Kick Panel
TRUNK RELEASE (-)	BLUE/WHITE	At Release Switch
FACTORY ALARM ARM	Arms with lock	
FACTORY ALARM DISARM	Disarms with unlock	
FACTORY DISARM NO UNLOCK (-)	BLUE/BLACK (key-sense wire)	Ignition harness
TACHOMETER	RED/BLUE, YELLOW/GREEN, GRAY, or WHITE	Any Ignition Coil
BRAKE WIRE (+)	GREEN/WHITE	At Brake Pedal Switch
HORN TRIGGER (-)	GREEN/YELLOW	Harness At Steering Column
LEFT FRONT WINDOW UP	YELLOW	At Driver Window Motor Inside Door
LEFT FRONT WINDOW DOWN	GREEN	At Driver Window Motor Inside Door
RIGHT FRONT WINDOW UP	BLACK/RED	Harness In Driver's Kick From Driver Door
RIGHT FRONT WINDOW DOWN	BLACK/WHITE	Harness In Driver's Kick From Driver Door
LEFT REAR WINDOW UP	RED/BLUE	Harness In Driver's Kick From Driver Door
LEFT REAR WINDOW DOWN	BLUE	Harness In Driver's Kick From Driver Door
RIGHT REAR WINDOW UP	RED/BLACK	Harness In Driver's Kick From Driver Door
RIGHT REAR WINDOW DOWN	RED	Harness In Driver's Kick From Driver Door

INTERFACE	PART NUMBER	NOTES
None required	NA	NA

Please verify all part numbers before ordering.

### AUDIO WIRING

WIRE	COLOR	LOCATION	NOTES
RADIO 12V	BLUE/YELLOW	Radio Harness	
RADIO SWITCHED	GRAY	Radio Harness	
RADIO GROUND	BROWN	Radio Harness	
ILLUMINATION (+)	GREEN	Radio Harness	
POWER ANTENNA (+)	BLACK	Radio Harness	
AMP TURN ON (+)		Radio Harness	
LEFT FRONT SPEAKER(+)	PINK	At Speaker or Amplifier Under Center Console	
LEFT FRONT SPEAKER (-)	VIOLET	At Speaker or Amplifier Under Center Console	
RIGHT FRONT SPEAKER (+)	LIGHT GREEN	At Speaker or Amplifier Under Center Console	
RIGHT FRONT SPEAKER (-)	BLUE	At Speaker or Amplifier Under Center Console	
LEFT REAR SPEAKER (+)	BLACK	At Speaker or Amplifier Under Center Console	
LEFT REAR SPEAKER (-)	YELLOW	At Speaker or Amplifier Under Center Console	
RIGHT REAR SPEAKER (+)	RED	At Speaker or Amplifier Under Center Console	
RIGHT REAR SPEAKER (-)	WHITE	At Speaker or Amplifier Under Center Console	

FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	5.25"		

RADIO DASH KIT OPTIONS	RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-2009, SCOSCHE PT2049B	METRA 70-2003, SCOSCHE GM05B	Not required
Please verify all part numbers before ordering.		

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	WHITE and BLACK	Ignition harness
STARTER WIRE	RED	Ignition harness
IGNITION WIRE	BLACK/WHITE	Ignition harness
SECOND IGNITION WIRE	BLACK/YELLOW	Ignition harness
ACCESSORY WIRE	BLUE/RED	Ignition harness
POWER DOOR LOCK (-)	GREEN	Harness In Passenger's Kick Panel
<b>Notes:</b> Test door lock wires using the passenger key cylinder		
POWER DOOR UNLOCK (-)	BLUE/BLACK	Harness In Passenger's Kick Panel
<b>Notes:</b> Test door lock wires using the passenger key cylinder		
PARKING LIGHTS (+)	GREEN	Harness In Driver's Kick Panel
DOOR TRIGGER (-)	RED/YELLOW	Harness In Driver's Kick Panel
TRUNK RELEASE (-)	BLUE/WHITE	At Release Switch
FACTORY ALARM ARM	Arms with lock	
FACTORY ALARM DISARM	Disarms with unlock	
FACTORY DISARM NO UNLOCK (-)	BLUE/BLACK (key-sense wire)	Ignition harness
TACHOMETER	RED/BLUE, YELLOW/GREEN, GRAY, or WHITE	Any Ignition Coil
BRAKE WIRE (+)	GREEN/WHITE	At Brake Pedal Switch
HORN TRIGGER (-)	GREEN/YELLOW	Harness At Steering Column
LEFT FRONT WINDOW UP	YELLOW	At Driver Window Motor Inside Door
LEFT FRONT WINDOW DOWN	GREEN	At Driver Window Motor Inside Door
RIGHT FRONT WINDOW UP	BLACK/RED	Harness In Driver's Kick From Driver Door
RIGHT FRONT WINDOW DOWN	BLACK/WHITE	Harness In Driver's Kick From Driver Door
LEFT REAR WINDOW UP	RED/BLUE	Harness In Driver's Kick From Driver Door
LEFT REAR WINDOW DOWN	BLUE	Harness In Driver's Kick From Driver Door
RIGHT REAR WINDOW UP	RED/BLACK	Harness In Driver's Kick From Driver Door
RIGHT REAR WINDOW DOWN	RED	Harness In Driver's Kick From Driver Door

INTERFACE	PART NUMBER	NOTES
None required	NA	NA

Please verify all part numbers before ordering.

### AUDIO WIRING

WIRE	COLOR	LOCATION	NOTES
RADIO 12V	BLUE/YELLOW	Radio Harness	
RADIO SWITCHED	GRAY	Radio Harness	
RADIO GROUND	BROWN	Radio Harness	
ILLUMINATION (+)	GREEN	Radio Harness	
POWER ANTENNA (+)	BLACK	Radio Harness	
AMP TURN ON (+)		Radio Harness	
LEFT FRONT SPEAKER(+)	PINK	At Speaker or Amplifier Under Center Console	
LEFT FRONT SPEAKER (-)	VIOLET	At Speaker or Amplifier Under Center Console	
RIGHT FRONT SPEAKER (+)	LIGHT GREEN	At Speaker or Amplifier Under Center Console	
RIGHT FRONT SPEAKER (-)	BLUE	At Speaker or Amplifier Under Center Console	
LEFT REAR SPEAKER (+)	BLACK	At Speaker or Amplifier Under Center Console	
LEFT REAR SPEAKER (-)	YELLOW	At Speaker or Amplifier Under Center Console	
RIGHT REAR SPEAKER (+)	RED	At Speaker or Amplifier Under Center Console	
RIGHT REAR SPEAKER (-)	WHITE	At Speaker or Amplifier Under Center Console	

FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	5.25"		

RADIO DASH KIT OPTIONS	RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-2009, SCOSCHE PT2049B	METRA 70-2003, SCOSCHE GM05B	Not required
Please verify all part numbers before ordering.		

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	WHITE and BLACK	Ignition harness
STARTER WIRE	RED	Ignition harness
IGNITION WIRE	BLACK/WHITE	Ignition harness
SECOND IGNITION WIRE	BLACK/YELLOW	Ignition harness
ACCESSORY WIRE	BLUE/RED	Ignition harness
POWER DOOR LOCK (-)	GREEN	Harness In Passenger's Kick Panel
<b>Notes:</b> Test door lock wires using the passenger key cylinder		
POWER DOOR UNLOCK (-)	BLUE/BLACK	Harness In Passenger's Kick Panel
<b>Notes:</b> Test door lock wires using the passenger key cylinder		
PARKING LIGHTS (+)	GREEN	Harness In Driver's Kick Panel
DOOR TRIGGER (-)	RED/YELLOW	Harness In Driver's Kick Panel
TRUNK RELEASE (-)	BLUE/WHITE	At Release Switch
FACTORY ALARM ARM	Arms with lock	
FACTORY ALARM DISARM	Disarms with unlock	
FACTORY DISARM NO UNLOCK (-)	BLUE/BLACK (key-sense wire)	Ignition harness
TACHOMETER	RED/BLUE, YELLOW/GREEN, GRAY, or WHITE	Any Ignition Coil
BRAKE WIRE (+)	GREEN/WHITE	At Brake Pedal Switch
HORN TRIGGER (-)	GREEN/YELLOW	Harness At Steering Column
LEFT FRONT WINDOW UP	YELLOW	At Driver Window Motor Inside Door
LEFT FRONT WINDOW DOWN	GREEN	At Driver Window Motor Inside Door
RIGHT FRONT WINDOW UP	BLACK/RED	Harness In Driver's Kick From Driver Door
RIGHT FRONT WINDOW DOWN	BLACK/WHITE	Harness In Driver's Kick From Driver Door
LEFT REAR WINDOW UP	RED/BLUE	Harness In Driver's Kick From Driver Door
LEFT REAR WINDOW DOWN	BLUE	Harness In Driver's Kick From Driver Door
RIGHT REAR WINDOW UP	RED/BLACK	Harness In Driver's Kick From Driver Door
RIGHT REAR WINDOW DOWN	RED	Harness In Driver's Kick From Driver Door

INTERFACE	PART NUMBER	NOTES
Transponder Immobilizer Bypass Module	DEI 556UW	Required when installing a remote start system
Please verify all part numbers before ordering.		

### AUDIO WIRING

WIRE	COLOR	LOCATION	NOTES
RADIO 12V	BLUE/YELLOW	Radio Harness	
RADIO SWITCHED	GRAY	Radio Harness	
RADIO GROUND	BROWN	Radio Harness	
ILLUMINATION (+)	GREEN	Radio Harness	
POWER ANTENNA (+)	BLACK	Radio Harness	
AMP TURN ON (+)		Radio Harness	
LEFT FRONT SPEAKER(+)	PINK	At Speaker or Amplifier Under Center Console	
LEFT FRONT SPEAKER (-)	VIOLET	At Speaker or Amplifier Under Center Console	
RIGHT FRONT SPEAKER (+)	LIGHT GREEN	At Speaker or Amplifier Under Center Console	
RIGHT FRONT SPEAKER (-)	BLUE	At Speaker or Amplifier Under Center Console	
LEFT REAR SPEAKER (+)	BLACK	At Speaker or Amplifier Under Center Console	
LEFT REAR SPEAKER (-)	YELLOW	At Speaker or Amplifier Under Center Console	
RIGHT REAR SPEAKER (+)	RED	At Speaker or Amplifier Under Center Console	
RIGHT REAR SPEAKER (-)	WHITE	At Speaker or Amplifier Under Center Console	

FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	5.25"		

RADIO DASH KIT OPTIONS	RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-8205, SCOSCHE TA2044B	METRA 70-1761, SCOSCHE TA02B	Not required

Please verify all part numbers before ordering.

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	WHITE and BLACK	Ignition harness
STARTER WIRE	RED	Ignition harness
IGNITION WIRE	BLACK/WHITE	Ignition harness
SECOND IGNITION WIRE	BLACK/YELLOW	Ignition harness
ACCESSORY WIRE	BLUE/RED	Ignition harness
POWER DOOR LOCK (-)	GREEN	Harness In Passenger's Kick Panel
<b>Notes:</b> Test door lock wires using the passenger key cylinder		
POWER DOOR UNLOCK (-)	BLUE/BLACK	Harness In Passenger's Kick Panel
<b>Notes:</b> Test door lock wires using the passenger key cylinder		
PARKING LIGHTS (+)	GREEN	Harness In Driver's Kick Panel
DOOR TRIGGER (-)	RED/YELLOW	Harness In Driver's Kick Panel
TRUNK RELEASE (-)	BLUE/WHITE	At Release Switch
FACTORY ALARM ARM	Arms with lock	
FACTORY ALARM DISARM	Disarms with unlock	
FACTORY DISARM NO UNLOCK (-)	BLUE/BLACK (key-sense wire)	Ignition harness
TACHOMETER	RED/BLUE, YELLOW/GREEN, GRAY, or WHITE	Any Ignition Coil
BRAKE WIRE (+)	GREEN/WHITE	At Brake Pedal Switch
HORN TRIGGER (-)	GREEN/YELLOW	Harness At Steering Column
LEFT FRONT WINDOW UP	YELLOW	At Driver Window Motor Inside Door
LEFT FRONT WINDOW DOWN	GREEN	At Driver Window Motor Inside Door
RIGHT FRONT WINDOW UP	BLACK/RED	Harness In Driver's Kick From Driver Door
RIGHT FRONT WINDOW DOWN	BLACK/WHITE	Harness In Driver's Kick From Driver Door
LEFT REAR WINDOW UP	RED/BLUE	Harness In Driver's Kick From Driver Door
LEFT REAR WINDOW DOWN	BLUE	Harness In Driver's Kick From Driver Door
RIGHT REAR WINDOW UP	RED/BLACK	Harness In Driver's Kick From Driver Door
RIGHT REAR WINDOW DOWN	RED	Harness In Driver's Kick From Driver Door

INTERFACE	PART NUMBER	NOTES
Transponder Immobilizer Bypass Module	DEI 556UW	Required when installing a remote start system

Please verify all part numbers before ordering.

### AUDIO WIRING

WIRE	COLOR	LOCATION	NOTES
RADIO 12V	BLUE/YELLOW	Radio Harness	
RADIO SWITCHED	GRAY	Radio Harness	
RADIO GROUND	BROWN	Radio Harness	
ILLUMINATION (+)	GREEN	Radio Harness	
POWER ANTENNA (+)	BLACK	Radio Harness	
AMP TURN ON (+)		Radio Harness	
LEFT FRONT SPEAKER(+)	PINK	At Speaker or Amplifier Under Center Console	
LEFT FRONT SPEAKER (-)	VIOLET	At Speaker or Amplifier Under Center Console	
RIGHT FRONT SPEAKER (+)	LIGHT GREEN	At Speaker or Amplifier Under Center Console	
RIGHT FRONT SPEAKER (-)	BLUE	At Speaker or Amplifier Under Center Console	
LEFT REAR SPEAKER (+)	BLACK	At Speaker or Amplifier Under Center Console	
LEFT REAR SPEAKER (-)	YELLOW	At Speaker or Amplifier Under Center Console	
RIGHT REAR SPEAKER (+)	RED	At Speaker or Amplifier Under Center Console	
RIGHT REAR SPEAKER (-)	WHITE	At Speaker or Amplifier Under Center Console	

FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	5.25"		

RADIO DASH KIT OPTIONS	RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-8205, SCOSCHE TA2044B	METRA 70-1761, SCOSCHE TA02B	Not required
Please verify all part numbers before ordering.		

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	WHITE and BLACK	Ignition harness
STARTER WIRE	RED	Ignition harness
IGNITION WIRE	BLACK/WHITE	Ignition harness
SECOND IGNITION WIRE	BLACK/YELLOW	Ignition harness
ACCESSORY WIRE	BLUE/RED	Ignition harness
POWER DOOR LOCK (-)	GREEN	Harness In Passenger's Kick Panel
<b>Notes:</b> Test door lock wires using the passenger key cylinder		
POWER DOOR UNLOCK (-)	BLUE/BLACK	Harness In Passenger's Kick Panel
<b>Notes:</b> Test door lock wires using the passenger key cylinder		
PARKING LIGHTS (+)	GREEN	Harness In Driver's Kick Panel
DOOR TRIGGER (-)	RED/YELLOW	Harness In Driver's Kick Panel
TRUNK RELEASE (-)	BLUE/WHITE	At Release Switch
FACTORY ALARM ARM	Arms with lock	
FACTORY ALARM DISARM	Disarms with unlock	
FACTORY DISARM NO UNLOCK (-)	BLUE/BLACK (key-sense wire)	Ignition harness
TACHOMETER	RED/BLUE, YELLOW/GREEN, GRAY, or WHITE	Any Ignition Coil
BRAKE WIRE (+)	GREEN/WHITE	At Brake Pedal Switch
HORN TRIGGER (-)	GREEN/YELLOW	Harness At Steering Column
LEFT FRONT WINDOW UP	YELLOW	At Driver Window Motor Inside Door
LEFT FRONT WINDOW DOWN	GREEN	At Driver Window Motor Inside Door
RIGHT FRONT WINDOW UP	BLACK/RED	Harness In Driver's Kick From Driver Door
RIGHT FRONT WINDOW DOWN	BLACK/WHITE	Harness In Driver's Kick From Driver Door
LEFT REAR WINDOW UP	RED/BLUE	Harness In Driver's Kick From Driver Door
LEFT REAR WINDOW DOWN	BLUE	Harness In Driver's Kick From Driver Door
RIGHT REAR WINDOW UP	RED/BLACK	Harness In Driver's Kick From Driver Door
RIGHT REAR WINDOW DOWN	RED	Harness In Driver's Kick From Driver Door

INTERFACE	PART NUMBER	NOTES
Transponder Immobilizer Bypass Module	DEI 556UW	Required when installing a remote start system
Please verify all part numbers before ordering.		

### AUDIO WIRING

WIRE	COLOR	LOCATION	NOTES
RADIO 12V	BLUE/YELLOW	Radio Harness	
RADIO SWITCHED	GRAY	Radio Harness	
RADIO GROUND	BROWN	Radio Harness	
ILLUMINATION (+)	GREEN	Radio Harness	
POWER ANTENNA (+)	BLACK	Radio Harness	
AMP TURN ON (+)		Radio Harness	
LEFT FRONT SPEAKER(+)	PINK	At Speaker or Amplifier Under Center Console	
LEFT FRONT SPEAKER (-)	VIOLET	At Speaker or Amplifier Under Center Console	
RIGHT FRONT SPEAKER (+)	LIGHT GREEN	At Speaker or Amplifier Under Center Console	
RIGHT FRONT SPEAKER (-)	BLUE	At Speaker or Amplifier Under Center Console	
LEFT REAR SPEAKER (+)	BLACK	At Speaker or Amplifier Under Center Console	
LEFT REAR SPEAKER (-)	YELLOW	At Speaker or Amplifier Under Center Console	
RIGHT REAR SPEAKER (+)	RED	At Speaker or Amplifier Under Center Console	
RIGHT REAR SPEAKER (-)	WHITE	At Speaker or Amplifier Under Center Console	

FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	5.25"		

RADIO DASH KIT OPTIONS	RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-8205, SCOSCHE TA2044B	METRA 70-1761, SCOSCHE TA02B	Not required

Please verify all part numbers before ordering.

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	WHITE and BLACK	Ignition harness
STARTER WIRE	RED	Ignition harness
IGNITION WIRE	BLACK/WHITE	Ignition harness
SECOND IGNITION WIRE	BLACK/YELLOW	Ignition harness
ACCESSORY WIRE	BLUE/RED	Ignition harness
POWER DOOR LOCK (-)	GREEN	Harness In Passenger's Kick Panel
<b>Notes:</b> Test door lock wires using the passenger key cylinder		
POWER DOOR UNLOCK (-)	BLUE/BLACK	Harness In Passenger's Kick Panel
<b>Notes:</b> Test door lock wires using the passenger key cylinder		
PARKING LIGHTS (+)	GREEN	Harness In Driver's Kick Panel
DOOR TRIGGER (-)	RED/YELLOW	Harness In Driver's Kick Panel
TRUNK RELEASE (-)	BLUE/WHITE	At Release Switch
FACTORY ALARM ARM	Arms with lock	
FACTORY ALARM DISARM	Disarms with unlock	
FACTORY DISARM NO UNLOCK (-)	BLUE/BLACK (key-sense wire)	Ignition harness
TACHOMETER	RED/BLUE, YELLOW/GREEN, GRAY, or WHITE	Any Ignition Coil
BRAKE WIRE (+)	GREEN/WHITE	At Brake Pedal Switch
HORN TRIGGER (-)	GREEN/YELLOW	Harness At Steering Column
LEFT FRONT WINDOW UP	YELLOW	At Driver Window Motor Inside Door
LEFT FRONT WINDOW DOWN	GREEN	At Driver Window Motor Inside Door
RIGHT FRONT WINDOW UP	BLACK/RED	Harness In Driver's Kick From Driver Door
RIGHT FRONT WINDOW DOWN	BLACK/WHITE	Harness In Driver's Kick From Driver Door
LEFT REAR WINDOW UP	RED/BLUE	Harness In Driver's Kick From Driver Door
LEFT REAR WINDOW DOWN	BLUE	Harness In Driver's Kick From Driver Door
RIGHT REAR WINDOW UP	RED/BLACK	Harness In Driver's Kick From Driver Door
RIGHT REAR WINDOW DOWN	RED	Harness In Driver's Kick From Driver Door

INTERFACE	PART NUMBER	NOTES
Transponder Immobilizer Bypass Module	DEI 556UW	Required when installing a remote start system
Please verify all part numbers before ordering.		

### AUDIO WIRING

WIRE	COLOR	LOCATION	NOTES
RADIO 12V	BLUE/YELLOW	Radio Harness	
RADIO SWITCHED	GRAY	Radio Harness	
RADIO GROUND	BROWN	Radio Harness	
ILLUMINATION (+)	GREEN	Radio Harness	
POWER ANTENNA (+)	BLACK	Radio Harness	
AMP TURN ON (+)		Radio Harness	
LEFT FRONT SPEAKER(+)	PINK	At Speaker or Amplifier Under Center Console	
LEFT FRONT SPEAKER (-)	VIOLET	At Speaker or Amplifier Under Center Console	
RIGHT FRONT SPEAKER (+)	LIGHT GREEN	At Speaker or Amplifier Under Center Console	
RIGHT FRONT SPEAKER (-)	BLUE	At Speaker or Amplifier Under Center Console	
LEFT REAR SPEAKER (+)	BLACK	At Speaker or Amplifier Under Center Console	
LEFT REAR SPEAKER (-)	YELLOW	At Speaker or Amplifier Under Center Console	
RIGHT REAR SPEAKER (+)	RED	At Speaker or Amplifier Under Center Console	
RIGHT REAR SPEAKER (-)	WHITE	At Speaker or Amplifier Under Center Console	

FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	5.25"		

RADIO DASH KIT OPTIONS	RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
METRA 99-8205, SCOSCHE TA2044B	METRA 70-1761, SCOSCHE TA02B	Not required
Please verify all part numbers before ordering.		

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	BLACK	In 1 -Pin Plug At Dash Fuse Box
STARTER WIRE 1	BLACK	In Pin 8 in White 8-Pin Plug At Ignition Switch
STARTER WIRE 2	WHITE	In Pin 1 in White 8-Pin Plug At Ignition Switch
<b>Notes:</b> Second starter wire only applies to models with 2.4L engine		
IGNITION WIRE 1	BROWN	In Pin 6 in White 8-Pin Plug At Ignition Switch
IGNITION WIRE 2	GREEN	In Pin 4 in White 8-Pin Plug At Ignition Switch
ACCESSORY WIRE 1	GRAY	In Pin 3 in White 8-Pin Plug At Ignition Switch
KEYSENSE (-)	BLUE	At Ignition Key Switch
POWER DOOR LOCK (-)	PURPLE	In Pin 16 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Use factory alarm arm wire unless door locks do not function from aftermarket alarm/start when engine is running		
POWER DOOR UNLOCK (-)	TAN	In Pin 15 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Use factory alarm disarm wire unless door locks do not function from aftermarket alarm/start when engine is running		
PARKING LIGHTS (+)	GREEN	In Pin 29 in White 30-Pin Plug At Dash Fuse Box
PARKING LIGHTS (-)	BROWN	In Pin 18 in White 20-Pin Plug At Headlight Switch
LEFT FRONT DOOR TRIGGER (-)	PURPLE	At Dash Fuse Box
RIGHT FRONT DOOR TRIGGER (-)	TAN	At Dash Fuse Box
LEFT REAR DOOR TRIGGER (-)	YELLOW	At Dash Fuse Box
RIGHT REAR DOOR TRIGGER (-)	BLACK	At Dash Fuse Box
DOME SUPERVISION (-)	GRAY	At Dash Fuse Box
TRUNK TRIGGER (-)	LIGHT GREEN	In Pin 21 in White 30-Pin Plug At Dash Fuse Box
FACTORY ALARM ARM (-)	BLACK	In Pin 7 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Test using key in driver door		
FACTORY ALARM DISARM (-)	PINK	In Pin 6 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Test using key in driver door. Unlock requires a double pulse		
DISARM NO UNLOCK (-)		Use Key Sense Wire
TACHOMETER WIRE (AC)	GRAY	In Pin 9 in White 16-Pin Data Link Connector
PARKING BRAKE (-)	TAN	At Parking Brake Switch
REAR DEFROST (-)	TAN	At Rear Defrost Switch
BRAKE WIRE (+)	BLUE	At Brake Switch
REVERSE LIGHT (+)	RED	In Pin 30 in White 30-Pin Plug At Dash Fuse Box
HORN TRIGGER (-)	LIGHT GREEN	In Pin 5 in White 32-Pin Plug At Dash Fuse Box
LEFT FRONT WINDOW UP	GREEN	At Driver Window Switch
LEFT FRONT WINDOW DOWN	YELLOW	At Driver Window Switch
RIGHT FRONT WINDOW UP	GREEN	At Driver Window Switch
RIGHT FRONT WINDOW DOWN	BROWN	At Driver Window Switch
LEFT REAR WINDOW UP	RED	At Driver Window Switch
LEFT REAR WINDOW DOWN	BLUE	At Driver Window Switch
RIGHT REAR WINDOW UP	BLACK	At Driver Window Switch
RIGHT REAR WINDOW DOWN	YELLOW	At Driver Window Switch
SUNROOF OPEN (-)	GREEN	At Sunroof Control Switch
SUNROOF CLOSE (-)	BLUE	At Sunroof Control Switch

INTERFACE	PART NUMBER	NOTES
Immobilizer Bypass Module	DEI 556UW	Required when installing a remote start system.
Please verify all part numbers before ordering.		

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

### AUDIO WIRING

WIRE	COLOR	LOCATION	NOTES
RADIO 12V	LIGHT BLUE	Radio Harness	
RADIO SWITCHED	GRAY	Radio Harness	
RADIO GROUND	BROWN	Radio Harness	
ILLUMINATION (+)	GREEN	Radio Harness	
POWER ANTENNA (+)	TAN	Radio Harness	
AMP TURN ON (+)		Radio Harness	
LEFT FRONT SPEAKER(+)	PINK	Radio Harness or Speaker	
LEFT FRONT SPEAKER (-)	PURPLE	Radio Harness or Speaker	
RIGHT FRONT SPEAKER (+)	LIGHT GREEN	Radio Harness or Speaker	
RIGHT FRONT SPEAKER (-)	BLUE	Radio Harness or Speaker	
LEFT REAR SPEAKER (+)	BLACK	Radio Harness or Speaker	
LEFT REAR SPEAKER (-)	YELLOW	Radio Harness or Speaker	
RIGHT REAR SPEAKER (+)	RED	Radio Harness or Speaker	
RIGHT REAR SPEAKER (-)	WHITE	Radio Harness or Speaker	

FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	6.5"		

RADIO DASH KIT OPTIONS	RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
SCOSCHE TA2102B Notes: If equipped with JBL, use S3-SR1 + S3TA03B wire harness	SCOSCHE TA02B	Not required
METRA 99-8224 Notes: If equipped with JBL, use TYTO-01 wire harness	METRA 70-1761	Not required

Please verify all part numbers before ordering.

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	BLACK	In 1 -Pin Plug At Dash Fuse Box
STARTER WIRE 1	BLACK	In Pin 8 in White 8-Pin Plug At Ignition Switch
STARTER WIRE 2	WHITE	In Pin 1 in White 8-Pin Plug At Ignition Switch
<b>Notes:</b> Second starter wire only applies to models with 2.4L engine		
IGNITION WIRE 1	BROWN	In Pin 6 in White 8-Pin Plug At Ignition Switch
IGNITION WIRE 2	GREEN	In Pin 4 in White 8-Pin Plug At Ignition Switch
ACCESSORY WIRE 1	GRAY	In Pin 3 in White 8-Pin Plug At Ignition Switch
KEYSENSE (-)	BLUE	At Ignition Key Switch
POWER DOOR LOCK (-)	PURPLE	In Pin 16 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Use factory alarm arm wire unless door locks do not function from aftermarket alarm/start when engine is running		
POWER DOOR UNLOCK (-)	TAN	In Pin 15 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Use factory alarm disarm wire unless door locks do not function from aftermarket alarm/start when engine is running		
PARKING LIGHTS (+)	GREEN	In Pin 29 in White 30-Pin Plug At Dash Fuse Box
PARKING LIGHTS (-)	BROWN	In Pin 18 in White 20-Pin Plug At Headlight Switch
LEFT FRONT DOOR TRIGGER (-)	PURPLE	At Dash Fuse Box
RIGHT FRONT DOOR TRIGGER (-)	TAN	At Dash Fuse Box
LEFT REAR DOOR TRIGGER (-)	YELLOW	At Dash Fuse Box
RIGHT REAR DOOR TRIGGER (-)	BLACK	At Dash Fuse Box
DOMESUPERVISION (-)	GRAY	At Dash Fuse Box
TRUNK TRIGGER (-)	LIGHT GREEN	In Pin 21 in White 30-Pin Plug At Dash Fuse Box
FACTORY ALARM ARM (-)	BLACK	In Pin 7 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Test using key in driver door		
FACTORY ALARM DISARM (-)	PINK	In Pin 6 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Test using key in driver door. Unlock requires a double pulse		
DISARM NO UNLOCK (-)		Use Key Sense Wire
TACHOMETER WIRE (AC)	GRAY	In Pin 9 in White 16-Pin Data Link Connector
PARKING BRAKE (-)	TAN	At Parking Brake Switch
REAR DEFROST (-)	TAN	At Rear Defrost Switch
BRAKE WIRE (+)	BLUE	At Brake Switch
REVERSE LIGHT (+)	RED	In Pin 30 in White 30-Pin Plug At Dash Fuse Box
HORN TRIGGER (-)	LIGHT GREEN	In Pin 5 in White 32-Pin Plug At Dash Fuse Box
LEFT FRONT WINDOW UP	GREEN	At Driver Window Switch
LEFT FRONT WINDOW DOWN	YELLOW	At Driver Window Switch
RIGHT FRONT WINDOW UP	GREEN	At Driver Window Switch
RIGHT FRONT WINDOW DOWN	BROWN	At Driver Window Switch
LEFT REAR WINDOW UP	RED	At Driver Window Switch
LEFT REAR WINDOW DOWN	BLUE	At Driver Window Switch
RIGHT REAR WINDOW UP	BLACK	At Driver Window Switch
RIGHT REAR WINDOW DOWN	YELLOW	At Driver Window Switch
SUNROOF OPEN (-)	GREEN	At Sunroof Control Switch
SUNROOF CLOSE (-)	BLUE	At Sunroof Control Switch

INTERFACE	PART NUMBER	NOTES
Immobilizer Bypass Module	DEI 556UW	Required when installing a remote start system.
Please verify all part numbers before ordering.		

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

### AUDIO WIRING

WIRE	COLOR	LOCATION	NOTES
RADIO SWITCHED	GRAY	Radio Harness	
RADIO GROUND	BROWN	Radio Harness	
ILLUMINATION (+)	GREEN	Radio Harness	
POWER ANTENNA (+)	TAN	Radio Harness	
AMP TURN ON (+)		Radio Harness	
LEFT FRONT SPEAKER(+)	PINK	Radio Harness or Speaker	
LEFT FRONT SPEAKER (-)	PURPLE	Radio Harness or Speaker	
RIGHT FRONT SPEAKER (+)	LIGHT GREEN	Radio Harness or Speaker	
RIGHT FRONT SPEAKER (-)	BLUE	Radio Harness or Speaker	
LEFT REAR SPEAKER (+)	BLACK	Radio Harness or Speaker	
LEFT REAR SPEAKER (-)	YELLOW	Radio Harness or Speaker	
RIGHT REAR SPEAKER (+)	RED	Radio Harness or Speaker	
RIGHT REAR SPEAKER (-)	WHITE	Radio Harness or Speaker	

FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	6.5"		

RADIO DASH KIT OPTIONS	RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
SCOSCHE TA2102B Notes: If equipped with JBL, use S3-SR1 + S3TA03B wire harness	SCOSCHE TA02B	Not required
METRA 99-8224 Notes: If equipped with JBL, use TYTO-01 wire harness	METRA 70-1761	Not required

Please verify all part numbers before ordering.

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	BLACK	In 1 -Pin Plug At Dash Fuse Box
STARTER WIRE 1	BLACK	In Pin 8 in White 8-Pin Plug At Ignition Switch
STARTER WIRE 2	WHITE	In Pin 1 in White 8-Pin Plug At Ignition Switch
<b>Notes:</b> Second starter wire only applies to models with 2.4L engine		
IGNITION WIRE 1	BROWN	In Pin 6 in White 8-Pin Plug At Ignition Switch
IGNITION WIRE 2	GREEN	In Pin 4 in White 8-Pin Plug At Ignition Switch
ACCESSORY WIRE 1	GRAY	In Pin 3 in White 8-Pin Plug At Ignition Switch
KEYSENSE (-)	BLUE	At Ignition Key Switch
POWER DOOR LOCK (-)	PURPLE	In Pin 16 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Use factory alarm arm wire unless door locks do not function from aftermarket alarm/start when engine is running		
POWER DOOR UNLOCK (-)	TAN	In Pin 15 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Use factory alarm disarm wire unless door locks do not function from aftermarket alarm/start when engine is running		
PARKING LIGHTS (+)	GREEN	In Pin 29 in White 30-Pin Plug At Dash Fuse Box
PARKING LIGHTS (-)	BROWN	In Pin 18 in White 20-Pin Plug At Headlight Switch
LEFT FRONT DOOR TRIGGER (-)	PURPLE	At Dash Fuse Box
RIGHT FRONT DOOR TRIGGER (-)	TAN	At Dash Fuse Box
LEFT REAR DOOR TRIGGER (-)	YELLOW	At Dash Fuse Box
RIGHT REAR DOOR TRIGGER (-)	BLACK	At Dash Fuse Box
DOMESUPERVISION (-)	GRAY	At Dash Fuse Box
TRUNK TRIGGER (-)	LIGHT GREEN	In Pin 21 in White 30-Pin Plug At Dash Fuse Box
FACTORY ALARM ARM (-)	BLACK	In Pin 7 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Test using key in driver door		
FACTORY ALARM DISARM (-)	PINK	In Pin 6 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Test using key in driver door. Unlock requires a double pulse		
DISARM NO UNLOCK (-)		Use Key Sense Wire
TACHOMETER WIRE (AC)	GRAY	In Pin 9 in White 16-Pin Data Link Connector
PARKING BRAKE (-)	TAN	At Parking Brake Switch
REAR DEFROST (-)	TAN	At Rear Defrost Switch
BRAKE WIRE (+)	BLUE	At Brake Switch
REVERSE LIGHT (+)	RED	In Pin 30 in White 30-Pin Plug At Dash Fuse Box
HORN TRIGGER (-)	LIGHT GREEN	In Pin 5 in White 32-Pin Plug At Dash Fuse Box
LEFT FRONT WINDOW UP	GREEN	At Driver Window Switch
LEFT FRONT WINDOW DOWN	YELLOW	At Driver Window Switch
RIGHT FRONT WINDOW UP	GREEN	At Driver Window Switch
RIGHT FRONT WINDOW DOWN	BROWN	At Driver Window Switch
LEFT REAR WINDOW UP	RED	At Driver Window Switch
LEFT REAR WINDOW DOWN	BLUE	At Driver Window Switch
RIGHT REAR WINDOW UP	BLACK	At Driver Window Switch
RIGHT REAR WINDOW DOWN	YELLOW	At Driver Window Switch
SUNROOF OPEN (-)	GREEN	At Sunroof Control Switch
SUNROOF CLOSE (-)	BLUE	At Sunroof Control Switch

INTERFACE	PART NUMBER	NOTES
Immobilizer Bypass Module	DEI 556UW	Required when installing a remote start system.
Please verify all part numbers before ordering.		

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

### AUDIO WIRING

WIRE	COLOR	LOCATION	NOTES
RADIO SWITCHED	GRAY	Radio Harness	
RADIO GROUND	BROWN	Radio Harness	
ILLUMINATION (+)	GREEN	Radio Harness	
POWER ANTENNA (+)	TAN	Radio Harness	
AMP TURN ON (+)		Radio Harness	
LEFT FRONT SPEAKER(+)	PINK	Radio Harness or Speaker	
LEFT FRONT SPEAKER (-)	PURPLE	Radio Harness or Speaker	
RIGHT FRONT SPEAKER (+)	LIGHT GREEN	Radio Harness or Speaker	
RIGHT FRONT SPEAKER (-)	BLUE	Radio Harness or Speaker	
LEFT REAR SPEAKER (+)	BLACK	Radio Harness or Speaker	
LEFT REAR SPEAKER (-)	YELLOW	Radio Harness or Speaker	
RIGHT REAR SPEAKER (+)	RED	Radio Harness or Speaker	
RIGHT REAR SPEAKER (-)	WHITE	Radio Harness or Speaker	

FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	6.5"		

RADIO DASH KIT OPTIONS	RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
SCOSCHE TA2112B Notes: If equipped with JBL, use S3-SR1 + S3TA03B wire harness	SCOSCHE TA02B	Not required
None available Notes: If equipped with JBL, use TYTO-01 wire harness	METRA 70-1761	Not required

Please verify all part numbers before ordering.

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	BLACK	In 1 -Pin Plug At Dash Fuse Box
STARTER WIRE 1	BLACK	In Pin 8 in White 8-Pin Plug At Ignition Switch
STARTER WIRE 2	WHITE	In Pin 1 in White 8-Pin Plug At Ignition Switch
<b>Notes:</b> Second starter wire only applies to models with 2.4L engine		
IGNITION WIRE 1	BROWN	In Pin 6 in White 8-Pin Plug At Ignition Switch
IGNITION WIRE 2	GREEN	In Pin 4 in White 8-Pin Plug At Ignition Switch
ACCESSORY WIRE 1	GRAY	In Pin 3 in White 8-Pin Plug At Ignition Switch
KEYSENSE (-)	BLUE	At Ignition Key Switch
POWER DOOR LOCK (-)	PURPLE	In Pin 16 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Use factory alarm arm wire unless door locks do not function from aftermarket alarm/start when engine is running		
POWER DOOR UNLOCK (-)	TAN	In Pin 15 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Use factory alarm disarm wire unless door locks do not function from aftermarket alarm/start when engine is running		
PARKING LIGHTS (+)	GREEN	In Pin 29 in White 30-Pin Plug At Dash Fuse Box
PARKING LIGHTS (-)	BROWN	In Pin 18 in White 20-Pin Plug At Headlight Switch
LEFT FRONT DOOR TRIGGER (-)	PURPLE	At Dash Fuse Box
RIGHT FRONT DOOR TRIGGER (-)	TAN	At Dash Fuse Box
LEFT REAR DOOR TRIGGER (-)	YELLOW	At Dash Fuse Box
RIGHT REAR DOOR TRIGGER (-)	BLACK	At Dash Fuse Box
DOMESUPERVISION (-)	GRAY	At Dash Fuse Box
TRUNK TRIGGER (-)	LIGHT GREEN	In Pin 21 in White 30-Pin Plug At Dash Fuse Box
FACTORY ALARM ARM (-)	BLACK	In Pin 7 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Test using key in driver door		
FACTORY ALARM DISARM (-)	PINK	In Pin 6 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Test using key in driver door. Unlock requires a double pulse		
DISARM NO UNLOCK (-)		Use Key Sense Wire
TACHOMETER WIRE (AC)	GRAY	In Pin 9 in White 16-Pin Data Link Connector
PARKING BRAKE (-)	TAN	At Parking Brake Switch
REAR DEFROST (-)	TAN	At Rear Defrost Switch
BRAKE WIRE (+)	BLUE	At Brake Switch
REVERSE LIGHT (+)	RED	In Pin 30 in White 30-Pin Plug At Dash Fuse Box
HORN TRIGGER (-)	LIGHT GREEN	In Pin 5 in White 32-Pin Plug At Dash Fuse Box
LEFT FRONT WINDOW UP	GREEN	At Driver Window Switch
LEFT FRONT WINDOW DOWN	YELLOW	At Driver Window Switch
RIGHT FRONT WINDOW UP	GREEN	At Driver Window Switch
RIGHT FRONT WINDOW DOWN	BROWN	At Driver Window Switch
LEFT REAR WINDOW UP	RED	At Driver Window Switch
LEFT REAR WINDOW DOWN	BLUE	At Driver Window Switch
RIGHT REAR WINDOW UP	BLACK	At Driver Window Switch
RIGHT REAR WINDOW DOWN	YELLOW	At Driver Window Switch
SUNROOF OPEN (-)	GREEN	At Sunroof Control Switch
SUNROOF CLOSE (-)	BLUE	At Sunroof Control Switch

INTERFACE	PART NUMBER	NOTES
Immobilizer Bypass Module	DEI 556UW	Required when installing a remote start system.
Please verify all part numbers before ordering.		

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

### AUDIO WIRING

WIRE	COLOR	LOCATION	NOTES
RADIO SWITCHED	GRAY	Radio Harness	
RADIO GROUND	BROWN	Radio Harness	
ILLUMINATION (+)	GREEN	Radio Harness	
POWER ANTENNA (+)	TAN	Radio Harness	
AMP TURN ON (+)		Radio Harness	
LEFT FRONT SPEAKER(+)	PINK	Radio Harness or Speaker	
LEFT FRONT SPEAKER (-)	PURPLE	Radio Harness or Speaker	
RIGHT FRONT SPEAKER (+)	LIGHT GREEN	Radio Harness or Speaker	
RIGHT FRONT SPEAKER (-)	BLUE	Radio Harness or Speaker	
LEFT REAR SPEAKER (+)	BLACK	Radio Harness or Speaker	
LEFT REAR SPEAKER (-)	YELLOW	Radio Harness or Speaker	
RIGHT REAR SPEAKER (+)	RED	Radio Harness or Speaker	
RIGHT REAR SPEAKER (-)	WHITE	Radio Harness or Speaker	

FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	6.5"		

RADIO DASH KIT OPTIONS	RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
SCOSCHE TA2112B Notes: If equipped with JBL, use S3-SR1 + S3TA03B wire harness	SCOSCHE TA02B	Not required
None available Notes: If equipped with JBL, use TYTO-01 wire harness	METRA 70-1761	Not required

Please verify all part numbers before ordering.

### ALARM REMOTE START WIRING

WIRE	COLOR	LOCATION
12V CONSTANT WIRE	BLACK	In 1 -Pin Plug At Dash Fuse Box
STARTER WIRE 1	BLACK	In Pin 8 in White 8-Pin Plug At Ignition Switch
STARTER WIRE 2	WHITE	In Pin 1 in White 8-Pin Plug At Ignition Switch
<b>Notes:</b> Second starter wire only applies to models with 2.4L engine		
IGNITION WIRE 1	BROWN	In Pin 6 in White 8-Pin Plug At Ignition Switch
IGNITION WIRE 2	GREEN	In Pin 4 in White 8-Pin Plug At Ignition Switch
ACCESSORY WIRE 1	GRAY	In Pin 3 in White 8-Pin Plug At Ignition Switch
KEYSENSE (-)	BLUE	At Ignition Key Switch
POWER DOOR LOCK (-)	PURPLE	In Pin 16 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Use factory alarm arm wire unless door locks do not function from aftermarket alarm/start when engine is running		
POWER DOOR UNLOCK (-)	TAN	In Pin 15 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Use factory alarm disarm wire unless door locks do not function from aftermarket alarm/start when engine is running		
PARKING LIGHTS (+)	GREEN	In Pin 29 in White 30-Pin Plug At Dash Fuse Box
PARKING LIGHTS (-)	BROWN	In Pin 18 in White 20-Pin Plug At Headlight Switch
LEFT FRONT DOOR TRIGGER (-)	PURPLE	At Dash Fuse Box
RIGHT FRONT DOOR TRIGGER (-)	TAN	At Dash Fuse Box
LEFT REAR DOOR TRIGGER (-)	YELLOW	At Dash Fuse Box
RIGHT REAR DOOR TRIGGER (-)	BLACK	At Dash Fuse Box
DOMESUPERVISION (-)	GRAY	At Dash Fuse Box
TRUNK TRIGGER (-)	LIGHT GREEN	In Pin 21 in White 30-Pin Plug At Dash Fuse Box
FACTORY ALARM ARM (-)	BLACK	In Pin 7 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Test using key in driver door		
FACTORY ALARM DISARM (-)	PINK	In Pin 6 in White 18-Pin Plug In Driver Kick Panel
<b>Notes:</b> Test using key in driver door. Unlock requires a double pulse		
DISARM NO UNLOCK (-)		Use Key Sense Wire
TACHOMETER WIRE (AC)	GRAY	In Pin 9 in White 16-Pin Data Link Connector
PARKING BRAKE (-)	TAN	At Parking Brake Switch
REAR DEFROST (-)	TAN	At Rear Defrost Switch
BRAKE WIRE (+)	BLUE	At Brake Switch
REVERSE LIGHT (+)	RED	In Pin 30 in White 30-Pin Plug At Dash Fuse Box
HORN TRIGGER (-)	LIGHT GREEN	In Pin 5 in White 32-Pin Plug At Dash Fuse Box
LEFT FRONT WINDOW UP	GREEN	At Driver Window Switch
LEFT FRONT WINDOW DOWN	YELLOW	At Driver Window Switch
RIGHT FRONT WINDOW UP	GREEN	At Driver Window Switch
RIGHT FRONT WINDOW DOWN	BROWN	At Driver Window Switch
LEFT REAR WINDOW UP	RED	At Driver Window Switch
LEFT REAR WINDOW DOWN	BLUE	At Driver Window Switch
RIGHT REAR WINDOW UP	BLACK	At Driver Window Switch
RIGHT REAR WINDOW DOWN	YELLOW	At Driver Window Switch
SUNROOF OPEN (-)	GREEN	At Sunroof Control Switch
SUNROOF CLOSE (-)	BLUE	At Sunroof Control Switch

INTERFACE	PART NUMBER	NOTES
Immobilizer Bypass Module	DEI 556UW	Required when installing a remote start system.
Please verify all part numbers before ordering.		

Remote starter and security installations should be attempted by experienced security installers only. Information contained is accurate to the best of our knowledge and experience. Information contained is without any representation of warranty. It is the installer's responsibility to test and confirm all circuits with a digital multi-meter. Proper installation remains the responsibility of the installer. CarAlarmPros assumes no liability or responsibility resulting from an improper installation, even in reliance with the information contained in this guide.

### AUDIO WIRING

WIRE	COLOR	LOCATION	NOTES
RADIO SWITCHED	GRAY	Radio Harness	
RADIO GROUND	BROWN	Radio Harness	
ILLUMINATION (+)	GREEN	Radio Harness	
POWER ANTENNA (+)	TAN	Radio Harness	
AMP TURN ON (+)		Radio Harness	
LEFT FRONT SPEAKER(+)	PINK	Radio Harness or Speaker	
LEFT FRONT SPEAKER (-)	PURPLE	Radio Harness or Speaker	
RIGHT FRONT SPEAKER (+)	LIGHT GREEN	Radio Harness or Speaker	
RIGHT FRONT SPEAKER (-)	BLUE	Radio Harness or Speaker	
LEFT REAR SPEAKER (+)	BLACK	Radio Harness or Speaker	
LEFT REAR SPEAKER (-)	YELLOW	Radio Harness or Speaker	
RIGHT REAR SPEAKER (+)	RED	Radio Harness or Speaker	
RIGHT REAR SPEAKER (-)	WHITE	Radio Harness or Speaker	

FRONT SPEAKERS SIZE	REAR SPEAKERS SIZE	AMP LOCATION	NOTES
6.5"	6.5"		

RADIO DASH KIT OPTIONS	RADIO WIRE HARNESS OPTIONS	ANTENNA ADAPTER OPTIONS
SCOSCHE TA2112B Notes: If equipped with JBL, use S3-SR1 + S3TA03B wire harness	SCOSCHE TA02B	Not required
None available Notes: If equipped with JBL, use TYTO-01 wire harness	METRA 70-1761	Not required

Please verify all part numbers before ordering.